

WORKSHOP CATALOGUE

Hand Tools

PAGE 2

Engineering Equipment

PAGE 5

Air Tools

PAGE 12

Air Tool Accessories

PAGE 19

Valid 1st February to June 30th 2020.
All prices quoted include GST.

M6 Rechargeable Torch

New!



2000 LUMENS!

110mm

BRIGHTNESS
2000-40Lm

Battery Included

\$199

MAGNETIC BASE!

PN: SBM6XR

• Includes headlamp strap

suprabeam® See full range on page 2.

Magnification Lamps

Workbench Magnification Lamp

- 900mm Two piece articulated arm
- Mountable to most workbenches up to 60mm in thickness
- 60 LED lamp with high & low modes
- High quality metal frame construction.

Magnification: 3 x Dioptre
Lens dia.: 120mm
Lamp: 60 x LED
Power: 240V

900mm Reach!

New!

760 Lumens

\$179

PN: ML60

geiger™

ATEX | INTRINSICALLY SAFE TORCHES & HEADLAMPS

suprabeam®

- Durable, impact-resistant construction
- High & Low brightness modes
- High efficiency heatsinks
- Build-in gas release vents



Ex C US IECEx

See full range on page 3.

Foldable Crates

- Versatile design allows crates to be stacked or folded for compact storage.

Size: 535W x 360D x 280H mm
Collapsed Height: 50 mm



New!

\$39

PN: FB5336B

geiger™

ACEUD

See full range on page 6.

940-2200 MM Circumference Tape

- Measures diameter & circumference
- Stainless steel with Laser engraved scale

Range: 940-2200 mm Cir. / 300-700mm Dia
Graduation: 0.1mm

New!



PN: AC-956-028-11
\$46.00

Moisture Meter

Moisture Range: 2-40/50/60/70%
(for different types of wood)
Temp. Range: -10-60 °C
Humidity Range: 0.1 °C RH

New!



PN: AC-WMM700
\$69.00

206 Piece Rotary Tool Kit

206 Piece set includes, diamond & HSS cutters & twist drills, grinding, cloth, felt, emery & flap wheels, rotary brushes, sanding & cut off discs, polishing compound & dressing stone

Back by Popular Demand!



\$69

PN: RTK206

geiger™

Pistol Grip Nutsert Tools

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch

M6 Nutsert Tool

Free Speed: 360 RPM
Weight: 1.3 Kg
M3, M4, M5, M8 & M10 mandrels available (sold separately)
PN: GP400B

M8 Nutsert Tool

Free Speed: 200 RPM
Weight: 1.3 Kg
M10 & M12 mandrels available (sold separately)
PN: GP200B

New!



\$699 EA

geiger™

Digital Tyre Inflator

- Large 75 mm LCD display
- Clip-on chuck
- Auto On/Off

Units: PSI, Bar & kPa
Range: 0-60 psi
Hose Length: 30 cm

geiger™



New!

\$129

PN: GP1558-4

See full range on page 14.

M6xr

2000 LUMENS!

New!



Battery Included

\$199

PN: SBM6XR



110mm

MAGNETIC BASE!

| | | | |
|-------------------|------------------|------|--------|
| Li-PO | 165m | 114g | 30-70° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 2000-40Lm | 🕒 2 - 260h | | |

Q1prime 90 Lm



\$35

PN: SBQ1prime

| | | | |
|-------------------|------------------|-----|-----|
| 1xAAA | 60m | 30g | 20° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 90 Lm | 🕒 1h | | |

Q1mini 120 Lm



\$45

PN: SBQ1MINI

| | | | |
|-------------------|------------------|-----|--------|
| 1xAAA | 60m | 38g | 10-70° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 120 - 30 Lm | 🕒 1h 30m - 5h | | |

Q1 160 Lm



\$69

PN: SBQ1

| | | | |
|-------------------|------------------|-----|--------|
| 2xAAA | 70 m | 56g | 10-70° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 160 - 40 Lm | 🕒 4 - 10 h | | |

Q2 200 Lm



\$79

PN: SBQ2

| | | | |
|-------------------|------------------|-----|--------|
| 1xAAA | 150m | 80g | 10-70° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 200 - 40 Lm | 🕒 2 - 5 h | | |

Q2r 450 Lm

Li-Po 2x
Double capacity of typical li-ion



\$129

PN: SBQ2R

| | | | |
|-------------------|------------------|-----|--------|
| Li-Po | 175m | 67g | 10-70° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 450 - 6 Lm | 🕒 1h 15m - 70h | | |

Q3 classic 330 Lm

IPx8 1 Meter WATERPROOF



\$89

PN: SBQ3classic

| | | | |
|-------------------|------------------|-----|-----|
| 3xAAA | 210m | 96g | 10° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 330 Lm | 🕒 20 h | | |

Q3 380 Lm



\$89

PN: SBQ3

| | | | |
|-------------------|------------------|-----|--------|
| 3xAAA | 230m | 99g | 10-70° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 380 - 10 Lm | 🕒 2h 15m - 75h | | |

Q3r 500 Lm

Li-Po 2x
Double capacity of typical li-ion



\$169

PN: SBQ3r

| | | | |
|-------------------|------------------|------|--------|
| Li-Po | 245m | 139g | 10-70° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 500 - 15 Lm | 🕒 3 - 89 h | | |

Q4 400 Lm



\$129

PN: SBQ4

| | | | |
|-------------------|------------------|------|--------|
| 3xAAA | 200m | 152g | 10-70° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 400 - 8 Lm | 🕒 2 - 80 h | | |

Q4xr 800 Lm

Li-Po 2x
Double capacity of typical li-ion



\$199

PN: SBQ4XR

| | | | |
|-------------------|------------------|------|--------|
| 2xLi-Po | 250m | 132g | 10-70° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 800 - 50 Lm | 🕒 2 - 24 h | | |

Q7 compact 400 Lumens



\$119

PN: SBQ7compact

| | | | |
|-------------------|------------------|------|--------|
| 4xAAA | 220m | 196g | 10-70° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 400 - 15Lm | 🕒 1 - 75 h | | |

Q7xr 1000 Lumens

Li-Po 2x
Double capacity of typical li-ion



\$259

PN: SBQ7xr

| | | | |
|-------------------|------------------|------|--------|
| 2xLi-Po | 345m | 307g | 10-75° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 1000-50Lm | 🕒 2h 45m - 37 | | |

Q7xrs 2000 Lumens

Li-Po 2x
Double capacity of typical li-ion



\$359

PN: SBQ7xrs

| | | | |
|-------------------|------------------|------|--------|
| 2xLi-Po | 345m | 307g | 15-75° |
| BRIGHTNESS | ENDURANCE | | |
| ☀️ 2000 - 6Lm | 🕒 2 - 500 h | | |

Both the SBQ4xr, SBQ7xr & SBQ7xrs torches come in a durable plastic case with a Professional Quality Pouch with Velcro & Press Stud Strap, 100-240 VAC Adaptor with USB cable and external ICR Charger.



Intrinsically Safe Headlamp

- Durable, impact-resistant construction
- Adjustable headband to fit head or helmet
- 90° adjustable head
- Lockable battery compartment for increased safety

Brightness: 170 Lumens
IP Rating: Waterproof IP67
Dimensions 80x50x45 mm
Battery: 3 x AAA
Weight: 130g

\$179
PN: SBAH3



Ex
II 1G Ex ia IIC T4 IP67
DEMKO 14 ATEX 1354X

IECEX Ex ia IIC T4 Ga IP67
IECEX UL 14.0059X



CLASSIFIED
UL US
Class 1, Div 1 & 2, Grp ABCD
Class 2, Div 1 & 2, Grp EFG
Class 3 / Temperature
Code T4 IP67
File number: E324236

Intrinsically Safe Torch

- High & Low modes
 - High efficient heat-sink
- Brightness: 100 Lumens
IP Rating: Waterproof IP67
Dimensions 174x47x47 mm
Battery 4 x AA
Weight 115g

\$129
PN: SBAT3



II 1G Ex ia IIC T4 IP67
DEMKO 14 ATEX 1354X



CLASSIFIED
UL US
Class 1, Div 1 & 2, Grp ABCD
Class 2, Div 1 & 2, Grp EFG
Class 3 / Temperature
Code T4 IP67
File number: E324236

IECEX

Ex ia IIC T4 Ga IP67
IECEX UL 14.0059X

Intrinsically Safe Lamp

- High efficiency heat-sink
- Pocket Clip

Brightness: 200 Lumens
IP Rating: Waterproof IP54
Dimensions: 183x69x63 mm
Battery: 4 x AA
Weight: 250g

\$169
PN: SBAT4



II 1G Ex ia IIC T4 IP67
DEMKO 14 ATEX 1354X



CLASSIFIED
UL US
Class 1, Div 1 & 2, Grp ABCD
Class 2, Div 1 & 2, Grp EFG
Class 3 / Temperature
Code T4 IP67
File number: E324236

IECEX

Ex ia IIC T4 Ga IP67
IECEX UL 14.0059X

V3 air

340 Lumens

\$79
PN: SBV3air



2xAAA 195m 140g 10-70°

BRIGHTNESS 340 - 6Lm
ENDURANCE 3h 30m - 80

V3 airR

360 Lumens

Battery Included
\$139
PN: SBV3airR



Li-Po 210m 148g 10-70°

BRIGHTNESS 360 - 8Lm
ENDURANCE 1h 45m - 80

V3 pro

400 Lumens

\$119
PN: SBV3pro



3xAAA 210m 204g 10-70°

BRIGHTNESS 400 - 10Lm
ENDURANCE 8 - 110h

S3

200 Lumens

\$79
PN: SBS3



3xAAA 70m 116g 20-60°

BRIGHTNESS 200 - 50Lm
ENDURANCE 4.5 - 18h

THE BONE™ CREEPERS & STOOLS

The Bone™ and Bonester™ feature a uniquely shaped body which cradles the user between the wheels only an inch or so above the ground. The big, easy rolling wheels are positioned outboard to provide a strong, stable working platform that can't tip or flip the user. The large diameter wheels roll easily over all sorts of obstacles such as cords and air lines.

One Year FACTORY WARRANTY

ROUGH RIDER

Mechanics Creeper
1194L x 648W x 191H mm
Wheels: Ø130 mm x 33 mm
Rough Rider Tyres
73 mm Ground Clearance
Weight: 9.1 Kg

180 KG CAPACITY



\$439
PN: BONE7031

Rough Rider Mechanics Stool
Huge 130 mm Rough Rider Tyres
44 mm Ground Clearance
330 mm Seat Height
740L x 800W mm
Weight: 7.5 Kg

180 KG CAPACITY

\$399
PN: BONE5131

THE BONESTER SUPER LOW PROFILE

Mechanics Creeper
1092L x 594W x 114H mm
Wheels: Ø75 mm x 22 mm
Load Capacity: 180 Kg
Easy Rider Tyres
38 mm Ground Clearance
Weight: 6 Kg

180 KG CAPACITY



\$259
PN: BONE4031

THE TAIL BONE

Easy Rider Mechanics Stool
Huge 130 mm Easy Rider Tyres
20 mm Ground Clearance
300 mm Seat Height
740L x 800W mm
Weight: 7 Kg

160 KG CAPACITY

\$359
PN: BONE5031

THE BONE LOW PROFILE

Mechanics Creeper
1194L x 648W x 160H mm
Wheels: Ø130 mm x 25 mm
Load Capacity: 180 Kg
Wide Easy Rider Tyres
45 mm Ground Clearance
Weight: 8 Kg

140 KG CAPACITY



\$399
PN: BONE6031

Riveting Tool

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$49
PN: GHTJ701

Heavy Duty Riveting Tool

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$89
PN: GHTTC20

Letter & Number Punch Sets

36 Piece set includes 27 "A" to "Z" plus "&", and 9 Piece 0-8 (6 is used as 9) Hardness: HRC 58-62°



- 3 mm Punch Set PN: GYC607-3 **\$51**
- 4 mm Punch Set PN: GYC607-4 **\$60**
- 5 mm Punch Set PN: GYC607-5 **\$72**
- 6 mm Punch Set PN: GYC607-6 **\$95**
- 8 mm Punch Set PN: GYC607-8 **\$149**

6 MM Heavy Duty Quick Release Deburrer

- Removable cap for blade storage

6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with 6 mm General Purpose Blade (GDSR10S).



\$33
PN: GDSRSDMKK

Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted 3.2 mm blades. Storage for blades in handle.

Set Includes: 3.2 mm Standard Quick Release Handle (GDSDSDMK)

Standard 3.2 mm Deburring blades: 2 x GDSC10, 2 x GDSC101, 2 x GDSC15, 2 x GDSC20, 1 x GDSC30, 1 x GDSC35



\$41
PN: GD38040

Metric 9 Piece Ball End Hex Key Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm

\$35
PN: GXHK9M

Imperial (SAE) 13 Piece Ball End Hex Key Set

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", & 3/8"

\$37
PN: GXHK13I

13 Piece Tamper-Proof Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H

\$39
PN: GXTT13

13 Piece Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H

\$39
PN: GXTX13



Rivet & Nutsert Tool

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.

- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts



2-in-1
RIVETS/NUTSERTS

\$119
PN: GHTJ703A

Heavy Duty Rivet & Nutsert Tool

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8

Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts



\$199
PN: GHTH3

Rivet mandrels Storage

Quick-Lock Hinges

Space-Saving Foldable Handles

Self locking Latches

Forged Main Arms

2-in-1
RIVETS/NUTSERTS

Magnetic Pickup Tool

- Extended length large diameter head magnetic pickup tool

- For the safe removal of swarf in hard to get at places.

Head diameter: 96 mm
Overall length: 960 mm



\$99
PN: MRE001

Magnetic Telescopic Pickup Tool

Length: 170-900 mm
Capacity: 3.6 kg



\$16
PN: MTP001

Magnetic Clean-Up Wand

Capacity: 6.30 kg
Length 400 mm
Weight 0.5 kg



\$79
PN: MW001

Jumbo Metric 13 Piece Ball End Hex Key Set

Set includes: 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12, 14, 17, 19 mm Keys

\$99
PN: GXHK19M



Gear & Bearing Splitting Combination Set

Small Bearing Separator

Jaw Range: 30-50 mm
Working Range: 0-135 mm

Large Bearing Separator

Jaw Range: 50-75 mm
Working Range: 0-180 mm

Includes Centre Adapter.

S45C Drop Forged hardened Main Beam and Bearing Separators.



\$195
PN: GBTK

Multi-Hydraulic Gear Puller Kit

Bearing Separator

S45C Drop Forged hardened Bearing Separator.

Working Range: 0-370 mm
Jaw Range: 75-105 mm

Gear Puller

Working Range: 0-185 mm

Set includes:
Twin & Triple Leg Heads
Hydraulic Ram (12 Ton capacity)
Carbon Steel Beam
200 mm, 150 mm, & 100 mm arms
85 mm, 35 mm, Spacers
25 mm Centre Adapter



\$473
PN: GHPK


Gasket Punch Set

14 Piece set includes: 1/4, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1-1/4, 1-3/8 & 1-1/2"



\$82
PN: GGPS

Drill Press Vices



100 mm Drill Press Vice

Base: 177 x 161mm
Jaw Size: 101 x 23mm
Jaw opening: 100mm

\$45
PN: TV102-4

150 mm Drill Press Vice

Base: 238 x 210mm
Jaw Size: 150 x 28mm
Jaw opening: 150mm

\$79
PN: TV102-6

200 mm Drill Press Vice

Base: 348 x 287mm
Jaw Size: 200 x 46mm
Jaw opening: 200mm

\$320
PN: TV122-3

Magnetic Broom

The telescopic handle features a quick-release slide to discard swarf.

Lifts up to 9 kg
Width: 377 mm



\$129
PN: MB001

100 mm Welders Vice

Base dimension: 236 x 236 mm
Overall height: 61 mm
Jaw opening: 100 mm



\$159
PN: TV275

3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Set includes 4-12 mm, 4-20 mm & 4-32 mm



\$165
PN: G3SD

Soluble Cutting Oil

Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate).

Mix between 5% to 10% with clean tap water.



1 Litre

\$25
PN: SOLOIL1

5 Litres

\$99
PN: SOLOIL5

20 Litres

\$339
PN: SOLOIL20

Metal Working Bench Vices

- Lockable 360° Swivel base
- Heavy duty cast steel
- Integrated anvil & pipe jaws

150 mm Bench Vice

Jaw face: 155 x 85 mm
Jaw opening: 150 mm
Weight: 14 kg

\$299
PN: GBV6

200 mm Bench Vice

Jaw face: 205 x 85 mm
Jaw opening: 200 mm
Weight: 18 kg

\$399
PN: GBV8



Keyless Drill Chucks

- Suitable for lathes, drilling & milling machines

Porta



1-13 mm Keyless Drill Chuck

Mount: JT6

\$125
PN: POR37J6

3-16 mm Keyless Drill Chuck

Mount: JT6

\$139
PN: POR40J6

MT2 x JT6 Arbor
PN: DCAMT2J6

\$19

MT3 x JT6 Arbor
PN: DCAMT3J6

\$24

JT3, B16 & Threaded Arbors available.



Metric Dial Calipers



150 MM Metric Dial Caliper

Resolution: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-101-006-11
\$125.00

200 MM Metric Dial Caliper

Resolution: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-101-008-11
\$155.00

300 MM Metric Dial Caliper

Resolution: 0.01 mm
Accuracy: ±0.04 mm

PN: AC-101-012-11
\$239.00

Dual Scale Digital Calipers



150 MM Dual Scale Digital Caliper

Resolution: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-111-006-12
\$89.00

200 MM Dual Scale Digital Caliper

Resolution: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-111-008-12
\$129.00

300 MM Dual Scale Digital Caliper

Resolution: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-111-012-12
\$185.00

Splash Proof IP54 Dual Scale Digital Calipers



150 MM Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm/0.0005"
Accuracy: ±0.03 mm/0.001"

PN: AC-111-006-11
\$115.00

200 MM Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm/0.0005"
Accuracy: ±0.03 mm/0.001"

PN: AC-111-008-11
\$149.00

300 MM Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm/0.0005"
Accuracy: ±0.03 mm/0.001"

PN: AC-111-012-11
\$219.00

Coolant Proof IP67 Dual Scale Digital Calipers



150 MM Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm/0.0005"
Accuracy: ±0.03 mm/0.001"

PN: AC-112-006-12
\$229.00

200 MM Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm/0.0005"
Accuracy: ±0.03 mm/0.001"

PN: AC-112-008-12
\$259.00

300 MM Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm/0.0005"
Accuracy: ±0.03 mm/0.001"

PN: AC-112-012-12
\$349.00

IP54 Fractional Imperial Digital Caliper



Resolution: 0.01 mm, 0.005", 1/128"
Accuracy: ±0.03 mm

PN: AC-113-008-11
\$159.00

Display Modes: Fraction Imperial, Decimal Imperial & Metric Auto On/Off

150 MM Digital Plastic Caliper



Resolution: 0.01 mm/0.0005"
Accuracy: ±0.1 mm

PN: AC-117-006-11
\$39.00

Dual Scale Vernier Calipers



150 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"
Accuracy: ±0.03/0.001"

PN: AC-120-006-12
\$65.00

200 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"
Accuracy: ±0.03/0.001"

PN: AC-120-008-12
\$95.00

300 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"
Accuracy: ±0.04/0.002"

PN: AC-120-012-12
\$155.00

Dual Scale Long Series Vernier Calipers



600 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"
Accuracy: ±0.05 mm/0.002"
External Jaw Reach: 100 mm
Int. Jaw Reach: 18 mm

PN: AC-127-024-11
\$325.00

1000 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"
Accuracy: ±0.08 mm/0.003"
External Jaw Reach: 140 mm
Int. Jaw Reach: 24 mm

PN: AC-127-040-11
\$859.00

2000 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"
Accuracy: ±0.14 mm/0.006"
External Jaw Reach: 200 mm
Int. Jaw Reach: 24 mm

PN: AC-127-080-11
\$2,399

Digital Inside Groove Calipers

25-300 MM Digital Inside Groove Caliper

Resolution: 0.01 mm / 0.0005"
Accuracy: ±0.04 mm
Jaw Reach: 40 mm
Max Groove Depth: 5 mm

PN: AC-136-008-11
\$349.00




- Automatic power on/off
- USB Data output

25-300 MM Digital Inside Groove Caliper

Resolution: 0.01 mm / 0.0005"
Accuracy: ±0.05 mm
Jaw Reach: 100 mm
Max Groove Depth: 10 mm

PN: AC-132-012-11
\$565.00



- Automatic power on/off
- Buttons: on/off, zero, mm/inch
- Made of stainless steel
- USB Data output

Digital Small Point Caliper

Resolution: 0.01mm/0.0005"
Accuracy: ±0.03 mm
Jaw Reach: 100 mm

- Automatic power on/off
- USB Data output



PN: AC-168-006-11
\$219.00

500 MM Dual Scale Vernier Caliper

Graduations: 0.02 mm / 0.001"
Accuracy: ±0.05 mm
Internal Jaw Reach: 45 mm
External Jaw Reach: 100 mm

PN: AC-129-020-11
\$579.00



Internal & External Dial Caliper Gauges

Graduations: 0.01 mm
Accuracy: ±0.04 mm



20 MM External Dial Caliper

Graduations: 0.01 mm
Jaw Reach: 60 mm

PN: AC-421-020-11
\$325.00

20-40 MM External Dial Caliper

Graduations: 0.01 mm
Jaw Reach: 60 mm

PN: AC-421-040-11
\$325.00

40-60 MM External Dial Caliper

Graduations: 0.01 mm
Jaw Reach: 55 mm

PN: AC-421-060-11
\$325.00

35-55 MM Internal Dial Caliper

Graduations: 0.01 mm
Jaw Reach: 80 mm

PN: AC-411-055-11
\$295.00

55-75 MM Internal Dial Caliper

Graduations: 0.01 mm
Jaw Reach: 90 mm

PN: AC-411-075-11
\$295.00

75-95 MM Internal Dial Caliper

Graduations: 0.01 mm
Jaw Reach: 100 mm

PN: AC-411-095-11
\$295.00

95-115 MM Internal Dial Caliper

Graduations: 0.01 mm
Jaw Reach: 120 mm

PN: AC-411-115-11
\$395.00

115-135 MM Internal Dial Caliper

Graduations: 0.01 mm
Jaw Reach: 120 mm

PN: AC-411-135-11
\$425.00



- Automatic power on/off
- USB Data output

150 MM Digital Inside Groove Caliper

Range: 9-150 mm
Resolution: 0.01 mm / 0.0005"
Accuracy: ±0.04 mm
Minor Jaw Range: 9-150 mm
Major Jaw Range: 15-150 mm
Jaw Reach: Minor 30 mm / Major 70 mm
Max Groove Depth: 8.5 mm

PN: AC-159-006-11
\$430.00

200 MM Digital Inside Groove Caliper


Range: 9-200 mm
Resolution: 0.01 mm / 0.0005"
Accuracy: ±0.04 mm
Minor Jaw Range: 9-200 mm
Major Jaw Range: 15-200 mm
Jaw Reach: Minor 30 mm / Major 70 mm
Max Groove Depth: 8.5 mm

PN: AC-159-008-11
\$435.00

200 MM Digital Large Face Caliper

Resolution: 0.01mm/0.0005"
Accuracy: ±0.07 mm
Jaw Reach: 48 mm
Face size: 30 x 40 mm

PN: AC-167-008-11
\$585.00



- Automatic power on/off
- USB Data output

125 MM Digital Disc Brake Caliper

Automatic power on/off
USB Data output



Resolution: 0.01 mm
Accuracy: ±0.07 mm
External Jaw Reach: 90 mm

PN: AC-157-005-11
\$249.00

Dial Bore Gauges

2-6" Imperial Dial Bore Gauge

Range: 2-6"
Resolution: 0.001"
Accuracy: ±0.00071"
Length: 5-1/2"

PN: AC-252-060-11
\$219.00



50-160 MM Dial Bore Gauge

Range: 50-160 mm
Graduations: 0.01 mm
Accuracy: ±0.018 mm
Length: 141 mm

PN: AC-251-160-11
\$199.00



Depth Calipers, Indicator, Micrometers

25 MM Digital Depth Caliper

- USB data output

Resolution: 0.01 mm/0.0005"
Accuracy: ±0.03 mm

PN: AC-176-001-11
\$119.00



200 MM Digital Depth Caliper

Accuracy: ±0.03 mm

PN: AC-171-008-11
\$155.00

300 MM Digital Depth Caliper

Resolution: 0.01 mm / 0.0005"
Accuracy: ±0.04 mm

- Automatic power on/off
- USB Data output



10 MM Dial Depth Indicator

- Stainless steel base
- With needle and ball stylus

Graduation: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-291-010-11
\$199.00



200 MM Digital Pin Depth Caliper

Resolution: 0.01 mm / 0.0005"
Accuracy: ±0.03 mm


- Automatic power on/off
- USB Data output



150 MM Depth Micrometer

- Ratchet stop
- Supplied with rods

PN: AC-392-006-01
\$389.00



PN: AC-172-008-11
\$249.00



Digital & Dial Indicators

25 MM Dual Scale Digital Indicator

Range: 25.4 mm/1"
Resolution: 0.01 mm/0.0005"
Accuracy: 20 µm

PN: AC-212-025-13
\$149.00



Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS
• USB data output
• Supplied with flat & lug back



10 MM Jeweled Metric Dial Indicator

Range: 10 mm
Graduations: 0.01 mm
Accuracy: 20 µm

PN: AC-222-010-11
\$65.00



• Limit hands
• Jeweled bearing
• 1 mm range per dial revolution
• Lug back

1" Imperial Dial Indicator

Graduation: 0.001"
Accuracy: 20 µm

PN: AC-225-025-11
\$65.00



Dial Test Indicator Centering Holder

Dial Test Indicator Centering Holder. For centering of cylinders or holes.

PN: AC-269-060-01
\$33.00



30 MM Metric Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-030-11
\$125.00

Metric Dial Test Indicator



PN: AC-261-008-11
\$110.00

• 0.01 mm Graduations
• Jeweled bearing
• Carbide stylus
• Double scale spacing
• Anti-magnetic copper body
• 4 mm & 8 mm Dia clamps.

Range: 0.8 mm
Graduation: 0.01 mm
Accuracy: ±13 µm

1/4" Centering Indicator

• For quick and accurate centering in boring and milling set-up
• Jeweled bearing
• Supplied with 7 feelers

Size: 150 mm x 60 mm x 33 mm



PN: AC-297-003-11
\$245.00

Digital Level & Protractor

• Magnetic V-groove Base
• Light weight aluminum frame

Resolution: 0.05°
Accuracy : ±0.1°(at 0°/90°/180°/270°)
±0.2°(other direction)
Size: 150 mm x 60 mm x 33 mm

PN: AC-722-360-01
\$165.00



600 MM Digital level

• Use as level or protractor
• Back-light Display
• Magnetic base
• Absolute horizon memory

Units: Degrees, Percent Slope, mm/m & In/Ft Pitch.
Resolution: 0.1°
Length: 600 mm



PN: AC-725-360-01
\$99.00

Dial Indicator & Magnetic Stand Kits

10 MM Dial Indicator & Magnetic Stand with Fine Adjustment

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.01 mm
Accuracy: ±20 µm

PN: AC-280-000-02
\$149.00

1" Inch Dial Indicator & Magnetic Stand with Fine Adjustment

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.001"
Accuracy: ±20 µm

PN: AC-280-001-02
\$149.00



• Aluminium Case Included

Magnetic Stands

Magnetic Stand with Fine adjustment

Stem holes: 8 mm
Magnetic Force: 60 kgf

PN: AC-281-060-01
\$72.00



Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf

PN: AC-281-060-02
\$64.00



Universal Magnetic Stand

Stem hole: 8 mm
Height: 395 mm
Arm Lengths: 340 mm
Magnetic Force: 80 kgf


PN: AC-282-080-02
\$169.00



Mini Universal Magnetic Stand

Stem holes: 8 mm
Height: 231 mm
Arm length: 192 mm
Magnetic Force: 40 kgf

PN: AC-286-040-01
\$159.00



Combination Rulers

200 MM Digital Combination Ruler

Length: 200 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-008-01
\$89.00

300 MM Digital Combination Ruler

Length: 300 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-012-01
\$99.00



300 MM Block Level

Length: 300L x 45H x 50W mm

• 0.02mm/m sensibility per division
• 140° Vee Groove



PN: AC-713-012-02
\$325.00

Digital Level

• Level or protractor modes
• Auto. power off
• Magnetic base

PN: AC-721-180-01
\$99.00



0-360° Digital Level & Protractor

• Integrated level vial
• Auto power off

Size: 250 mm x 60 mm x 33 mm
Resolution: 0.05°
Accuracy : ±0.15°

PN: AC-726-360-01
\$179.00



Metric Gauge Block Sets



- Calibration certificate
- Meet ISO 3650

34 Piece Metric Block Set

Included gauges: 1.0005 mm x 1, 1.001 to 1.009 mm (0.001 mm x 9), 1.01 to 1.09 mm (0.01 mm x 9), 1.1 to 1.9 mm (0.1 mm x 9), 1 to 5 mm (1 mm x 5), 10 mm x 1

PN: AC-512-034-01
\$485.00

47 Piece Metric Block Set

Included gauges: 1.005 mm x 1, 1.01 to 1.19 mm (0.1 mm x 19), 1.2 to 1.9 mm (0.1 mm x 8), 1 to 9 mm (1 mm x 9), 10 to 100 mm (10 mm x 10)

PN: AC-512-047-01
\$755.00

87 Piece Metric Block Set

Included gauges: 1.001 to 1.009 mm (0.001 mm x 9), 1.01 to 1.49 mm (0.01 mm x 49), 0.5 to 9.5 mm (0.5 mm x 19), 10 to 100 mm (10 mm x 10)

PN: AC-512-087-01
\$925.00

Radius Gauge Sets

- Includes concave & convex Gauge for each size



1-7 mm Radius Gauge Set

Range: 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm

PN: AC-941-007-34
\$29.00

7.5-15 mm Radius Gauge Set

Range: 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15 mm

PN: AC-941-015-32
\$29.00

15.5-25 mm Radius Gauge Set

Range: 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25 mm

PN: AC-941-025-30
\$29.00

Combination Square Set

90° or 45° square
90° square accuracy: ±8',
45° square accuracy: ±10'

Protractor
Range: 0-180°
Accuracy: ±7'

Circle Centre Finder
Accuracy: ±0.15 mm
Ruler range: 300 mm/12"



PN: AC-817-180-02
\$199.00

100 mm Centre Marking Gauge

Range: 4-90 mm Ø
Accuracy: ±0.15 mm

PN: AC-993-004-01
\$98.00

Double Ended Scriber

• Nickel plated with Hardened tips
• Knurled handle
Length: 250 mm



PN: AC-995-009-01
\$14.00

Dual Scale Stainless Rulers

6" Dual Scale Stainless Ruler

Range: 150 mm / 6"



PN: AC-990-006-11
\$9.50

12" Dual Scale Stainless Ruler

Range: 300 mm / 12"



PN: AC-990-012-11
\$16.00

Straight Edge Rulers



500 MM Straight Edge Ruler

Graduations: 1 mm
Beam Width: 40 mm
Length: 500 mm

PN: AC-991-020-01
\$179.00

300 MM Straight Edge Ruler

Graduations: 1 mm
Beam Width: 40 mm
Length: 300 mm

PN: AC-991-012-01
\$110.00

1000 MM Straight Edge Ruler

Graduations: 1 mm
Beam Width: 50 mm
Length: 1000 mm

PN: AC-991-040-01
\$349.00

Wide Base Machinist Squares (Grade 2)

100 mm Wide Base Machinist Square

Squareness: (α) 28 μm (β) 30 μm
Base size: 19H x 12W x 70L mm
Blade Thickness: 3 mm

PN: AC-845-004-02
\$32.00

150 mm Wide Base Machinist Square

Squareness: (α) 33 (β) 35 μm
Base size: 25H x 16W x 100L mm
Blade Thickness: 3 mm

PN: AC-845-006-02
\$42.00

200 mm Wide Base Machinist Square

Squareness: (α) 37 μm (β) 40 μm
Base size: 32H x 16W x 130L mm
Blade Thickness: 4 mm

PN: AC-845-008-02
\$57.00

300 mm Wide Base Machinist Square

Squareness: (α) 47 μm (β) 50 μm
Base size: 32H x 19W x 200L mm
Blade Thickness: 4 mm

PN: AC-845-012-02
\$88.00

600 mm Wide Base Machinist Square

Squareness: (α) 75 μm (β) 80 μm
Base size: 50H x 30W x 350L mm
Blade Thickness: 6 mm

PN: AC-845-024-02
\$310.00



Feeler Tape

Size: 13 mm x 5 m
Accuracy: ±4 μm



0.02 mm Feeler Tape

PN: AC-916-002-01
\$37.00

0.04 mm Feeler Tape

PN: AC-916-004-01
\$34.00

Feeler Gauges



200 mm Feeler Gauge 20 Leave Set

Range: 0.05-1.00 mm
Length: 200 mm

PN: AC-914-100-20
\$37.00

150 mm Feeler Gauge 20 Leave Set

Range: 0.05-1.00 mm
Length: 150 mm

PN: AC-913-100-20
\$30.00

300 mm Feeler Gauge 20 Leave Set

Range: 0.05-1.00 mm
Length: 300 mm

PN: AC-915-100-20
\$41.00

Dividers & Calipers



200 mm Inside Spring Caliper

Range: 18-190 mm
Length: 200 mm

PN: AC-982-008-01
\$31.00



200 mm Spring Divider

Range: 0-190 mm
Length: 200 mm

PN: AC-985-008-01
\$31.00



200 mm Outside Spring Caliper

Range: 0-190 mm
Length: 200 mm

PN: AC-984-008-01
\$31.00

300 mm Inside Spring Caliper

Range: 18-290 mm
Length: 300 mm

PN: AC-982-012-01
\$39.00

300 mm Spring Divider

Range: 0-290 mm
Length: 300 mm

PN: AC-985-012-01
\$39.00

300 mm Outside Spring Caliper

Range: 0-290 mm
Length: 300 mm

PN: AC-984-012-01
\$39.00

500 mm Inside Spring Caliper

Range: 25-490 mm
Length: 500 mm

PN: AC-982-020-01
\$65.00

500 mm Spring Divider

Range: 0-490 mm
Length: 500 mm

PN: AC-985-020-01
\$65.00

500 mm Outside Spring Caliper

Range: 0-490 mm
Length: 500 mm

PN: AC-984-020-01
\$65.00



Metric Outside Micrometers



IMPERIAL SIZES AVAILABLE

- Carbide measuring faces
- Setting standard included
- Ratchet stop

Metric Outside Micrometers with Interchangeable Anvils



- Setting standards & extension anvils are included
- Carbide measuring faces
- Ratchet stop

25 MM Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4 µm
Jaw Reach: 29 mm

PN: AC-321-001-01
\$49.00

0-100 MM Outside Micrometer

Graduation: 0.01 mm
Accuracy: 5 µm
Jaw Reach: 57 mm

PN: AC-325-004-01
\$349.00

25-50 MM Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4 µm
Jaw Reach: 39 mm

PN: AC-321-002-01
\$58.00

0-150 MM Outside Micrometer

Graduation: 0.01 mm
Accuracy: 6 µm
Jaw Reach: 82 mm

PN: AC-325-006-01
\$399.00

50-75 MM Outside Micrometer

Graduation: 0.01 mm
Accuracy: 5 µm
Jaw Reach: 53 mm

PN: AC-321-003-01
\$63.00

100-200 MM Outside Micrometer

Graduation: 0.01 mm
Accuracy: 7 µm
Jaw Reach: 114 mm

PN: AC-325-008-01
\$499.00

Coolant Proof Digital Micrometers

- Functions: mm/inch, origin, zero point, ABS, hold
- IP65 protection level
 - Carbide measuring faces
 - Ratchet stop.



25 MM Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 0.001 mm
Accuracy: 3 µm
Jaw Reach: 25 mm

PN: AC-313-001-02
\$210.00

25-50 MM Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 0.001 mm
Accuracy: 3 µm
Jaw Reach: 32 mm

PN: AC-313-002-02
\$269.00

Metric Micrometer Sets



- Calibration certificate

75 MM Micrometer 3 Piece Set

Set of 3 Micrometers
Range: 0-75 mm
Graduation: 0.01 mm
Accuracy: 5 µm

PN: AC-321-003-03
\$169.00

150 MM Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 0-150 mm
Graduation: 0.01 mm
Accuracy: 5 µm

PN: AC-321-006-06
\$399.00

150-300 MM Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 150-300 mm
Resolution: 0.01 mm
Accuracy: ±7 to 9 µm

PN: AC-321-012-06
\$795.00

Telescopic Gauge Set

Handle lengths: 115-137 mm
Gauge sizes:
8-12.7 mm, 12.7-19 mm,
19-32 mm, 32-54 mm,
54-90 mm & 90-150 mm



PN: AC-951-006-01
\$59.00

118° Drill Point Gauge

Range: 40 mm dia.
Angle: 118°

PN: AC-965-005-01
\$19.00



200x Digital Wifi Microscope

- Capture pictures or video
- Measuring software & calibration rule included
- 8 LED Light array

Resolution: 2 Megapixel
Magnification: 10 - 200x
Interface: USB2.0 or WiFi

PN: AC-WIFI200
\$399.00



Connects to any Wifi enabled Laptop, Phone or Tablet.



Portable 100x Microscope

Total magnification: 100x
Height: 210 mm
Weight: 650 g



PN: AC-PM100
\$365.00

Wifi Digital Microscope Stand

- Multiple adjusters and ball mount allow a wide range of viewing options
- All metal construction.

Max Height: 170 mm

PN: AC-MS36B
\$195.00



Digital Wifi Microscope not included.

Shore A Hardness Tester

- Conforms to ISO868, ISO7619 & ASTM D 2240
- Peak value indicator
- Suitable for soft plastic, rubber, leather, etc.

Range: 20-90 HA
Graduation: 1 HA
Accuracy: ±1 HA

PN: AC-HSM1A
\$299.00



Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa
Units: HV, HB, HRC, HRB, HS & tensile strength MPa
Accuracy: ±8 HLD / 0.8 HRC (HLD=800)
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1kg (coupled to plate)
Min. sample thickness: 5 mm
Min. sample diameter: 22 mm
Max. sample roughness: 1.61-Jm(Ra)
Power: 3 x AAA battery
Dimension: 121 x 68 x 30 mm

PN: AC-HL350
\$695.00



Infrared Thermometer

- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
 - Battery Power Indicator
 - Movable sample capture alarm
 - Back-light LCD Display
 - 1/4"-20 UNC Tripod Mount
 - Laser Sight

Measuring range: -50-700 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT700
\$149.00





Automotive Clip & Split Pin Kits

Speed Clips & Nuts

90 piece kit includes an assortment of 7 types of speed clips & nuts, ranging from (No. 10) 4.8 mm to (No.14) 6.3 mm Speed Clips and 5 & 6 mm Speed Nuts.



\$34

PN: AAK05

DIN 94 Split Pins - Small Kit

300 piece kit includes an assortment of 9 types of DIN 94 split pins, ranging from 2 mm dia. x 25 mm to 5 mm dia. x 63 mm Split Pins.



\$27

PN: AAK08

DIN 94 Split Pins - Large Kit

500 piece kit includes an assortment of 10 types of DIN 94 split pins, ranging from 1.6 mm dia. x 32 mm to 5 mm dia. x 50 mm Split Pins.



\$41

PN: AAK09

DIN 6799 Black Oxide E Clips

300 piece kit includes an assortment of 8 types of DIN 6799 black oxide e clips, ranging from M3, M4, M5, M6, M7, M8, M10 & M12.



\$30

PN: AAK20

External Circlips

120 piece kit includes an assortment of 16 types of external circlips, ranging from M5 to M24.



\$37

PN: AAK30

Automotive Bolt & Screw Kits

Mushroom Pozidrive Self Tapping Screws

200 piece kit includes an assortment of 8 types of Pozidrive Self Tapping Screws, ranging from M8 (4.2 mm x 19) to No.10 (4.8 mm x 30).



\$27

PN: AAK04

DIN 912 Socket Head Cap Screws

120 piece kit includes an assortment of 10 types of DIN 912 (grade 12.9) Allen socket cap screws, ranging from M5x16 & M10x30.



\$27

PN: AAK17

DIN 916 Socket Head Grub Screws

300 piece kit includes an assortment of 8 types of DIN 916 (grade 10.9) Allen head grub screws, ranging from M4x10 & M6x16.



\$33

PN: AAK18

DIN 7991 C'sunk Socket Head Screws

160 piece kit includes an assortment of 10 types of DIN 7991 (grade 10.9) Allen socket countersunk screws, ranging from M4x12 to M10x30.



\$27

PN: AAK19

Driver Kits

Pozidrive, Square & Magnetic Nut Setters

60 piece kit includes an assortment of 10 mm Magnetic Nut Setters, 3/8 Magnetic Nut Setters, No.1x25, No.3x25, No.3x50, No.2x25, No.2x50 Pozi Bits, No.1x50 long Pozi Bits, No.1x25, No.1x50, No.2x25, No.2x50 Square Drive Bits.



\$62

PN: HAK39

Automotive Grease Nipple Kits

Grease Nipples - Small Kit

50 piece kit includes an assortment of 8 types of grease nipples, ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90° & GN36 M8x1x45° Grease Nipples.



\$42

PN: AAK15

Automotive Nut, Bolt & Stud Kits

Propshaft Bolts (Grade 10.9)

40 piece kit includes an assortment of 10 types of (Grade 10.9) propshaft bolts, ranging from M8x1x30 to M12x1.5x40.



\$37

PN: AAK25

Durlock Flange Bolts & Flange Nuts

100 piece kit includes an assortment of 12 types of (Std Course Thread) DIN 6921 durlock flange Bolts & DIN 6923 flange nuts and bolts, ranging from M6x12 to M10x25.



\$30

PN: AAK26

Exhaust Manifold Studs & Nuts

80 piece kit includes an assortment of 8 types of exhaust manifold studs & nuts ranging from M8x1.25 to M10x1.5 Copper Nuts and M8x1.25x40 to M10x1.5x50 Studs.



\$64

PN: AAK11

Automotive Washer Kits

DIN 7604A Soft Annealed Copper Washers

130 piece kit includes an assortment of 8 types of DIN 7604a Small Soft Annealed Copper Washers, ranging from M6 to M18.



\$43

PN: AAK12

Fibre Washers

250 piece kit includes an assortment of 8 types of Fibre Washers, ranging from M4 (4.3 x 9 x 0.8 mm) to M16 (16.1 x 22 x 0.8 mm).



\$39

PN: AAK13

Automotive O-Ring Kits

Nitrile 70 Duro Shore A Imperial O-rings

225 piece kit includes an assortment of 18 types of nitrile 70 duro shore a imperial o-rings ranging from 3/32" ID x 1/16" (2.38 mm ID x 1.78 mm) to 13/16" ID x 5/32" (20.22 mm ID x 3.53 mm).



\$37

PN: AAK31

NBR-70 Standard Metric O-rings

386 piece kit includes an assortment of 30 types of NBR-70 standard metric o-rings ranging from 3.0 mm ID x 2.0 mm CS (R-01) to 44 mm ID x 4.0 mm CS (R-30).



\$52

PN: AAK32

Washer Kits

Zinc plated Spring Washers

500 piece kit includes an assortment of 8 types of Zinc Plated Spring Washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$27

PN: HAK06

Heavy Duty Zinc Plated Flat Washers

500 piece kit includes an assortment of 8 types of heavy duty zinc plated flat washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$27

PN: HAK07

1/2" Gearless Angle Impact Wrench

Torque: 290 Ft-lbs
Free Speed: 8,500 RPM
Length: 245 MM
Weight: 1.3kg

- Extended service life due to direct drive design

- 8 position swivel trigger
- 70 MM head height



\$339
PN: BIJ220B2

1/4" Die Grinder

Free Speed: 20,000 RPM
Length: 165 MM
Weight: 0.55Kg



\$175
PN: BG210R

1/4" x 5" Extended Die Grinder

Collet Size: 1/4"
Free Speed: 21,000 RPM
Length: 280 MM
Weight: 0.80 Kg



\$199
PN: BG215RA1

2" Angle Grinder

Free Speed: 15,000 RPM
Length: 178 MM
Weight: 0.8 Kg



\$199
PN: BG222RA1

50 MM Angle Grinder Disc

Suits BG222RA1
Max Speed: 23,000 RPM
Size: 50 x 4 x 9.53 MM



\$10
PN: 3510232

6" Random Orbital Sander

Orbit Diameter: 5 MM
Spindle: 5/16" x 24 UNF
Free Speed: 12,000 RPM
Weight: 0.99 kg



\$259
PN: BOS156A1

Dust-Free 6" Random Orbital Sander

Orbit Diameter: 5 MM
Free Speed: 12,000 RPM
Spindle: 5/16 x 24 UNF
Weight: 0.99 kg



\$279
PN: BOS156SA1

8" Geared Sander



\$495
PN: BOS253GR-D1

Orbit Diameter: 5 MM Free Speed: 900 RPM
Pad mount: 5 hole Weight: 1.88 Kg

8" Geared Central Vac Sander



\$495
PN: BOS253GRC-D1

Orbit Diameter: 5 MM Free Speed: 900 RPM
Pad mount: 5 hole Weight: 2.05 Kg

Heavy Duty Air Hammer Kit

- Integrated piston cushion design for lower vibration and less operator fatigue
- T handle design for better tool balance

Chisel shank: 10.2 MM
Impact Rate: 2,900 bpm
Weight: 1.73 Kg



- Includes Air Hammer, 5 chisels & Quick Change Spring Retainer in blow-mount case

\$249
PN: BHA67A1

Heavy Duty C Brad Nailer

Nail Shank: 1.4x1.6 MM (16 Gauge)
Fastener Length: 19-50 MM
Capacity: 100 nails
Weight: 1.9 Kg



\$299
PN: B1650B1

Medium Duty 80 Series Stapler

Staple Crown: 12.8 MM (80 Series)
Staple Length: 6-16 MM
Capacity: 100 Staples
Weight: 0.90 Kg



\$159
PN: BN301GE

34° DA Nailer

- Swivel exhaust
- Depth adjustment
- Angled air inlet

Nail Shank: 1.8 MM (15 Gauge)
Fastener Length: 25-64 MM
Capacity: 100 Nails
Weight: 1.95kg



\$299
PN: BA3464A1

B Puller

Pin Dia.: 4.8 MM
Nail Dia.: 2-4 MM
Weight: 0.80 Kg



\$299
PN: BPULLER

Heavy Duty Coil Nailers

Nail Shank: 2.03-2.8 MM
Fastener Length: 32-65 MM
Capacity: 200-400 nails
Weight: 2.3 Kg



\$559 EA

90 MM Angle Framing Gun

- Easy to use Depth Adjuster
- Adjustable Joist Hanger
- Protective cover on safety
- Single & Bump Fire modes

Nail Shank: 2.9-3.3 MM
Fastener Length: 50-90 MM
Capacity: 90 nails
Weight: 3.50 Kg



\$469
PN: BA3490F1

Ideal for countersinking nails when laying flooring & removing nails during demolition.

Made in Europe.

For over 50 years Morrisflex has provided optimum solutions for aerospace, automotive, shipbuilding, metal fabrication & welding sectors worldwide. Morrisflex has been committed to providing our customers with high performance products that maximise productivity and reduce costs. Morris Flex is accredited to ISO9001: 2008 and is equipped with the latest CNC technology delivering product of unrivaled quality and consistency.

1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



Some Size 3 burrs are available in 6" extended versions.



Non-ferrous & Stainless Carbide Burrs also available.

Oval Shape

| Head Size | Overall Length | PN | Price |
|-----------|----------------|---------|-------|
| 1 | 2" | CBSE1 | \$35 |
| 3 | 2 3/8" | CBSE3 | \$50 |
| 3 | 6 5/8" | CBSE3L6 | \$80 |
| 5 | 2 5/8" | CBSE5 | \$69 |

Ball Nosed Tree Shape

| Head Size | Overall Length | PN | Price |
|-----------|----------------|---------|-------|
| 1 | 2" | CBSF1 | \$35 |
| 3 | 2 1/2" | CBSF3 | \$50 |
| 3 | 6 3/4" | CBSF3L6 | \$80 |
| 5 | 2 3/4" | CBSF5 | \$69 |

Pointed Tree Shape

| Head Size | Overall Length | PN | Price |
|-----------|----------------|---------|-------|
| 1 | 2" | CBSG1 | \$35 |
| 3 | 2 1/2" | CBSG3 | \$50 |
| 3 | 6 3/4" | CBSG3L6 | \$80 |
| 5 | 2 3/4" | CBSG5 | \$69 |

Carbide Burr Sets

1/8" Head Carbide Burr 10 Piece Set

Shank Dia: 1/8"

3/8" Head Carbide Burr 3 Piece Set

Shank Dia: 1/4"

1/4" & 3/8" Head Burr 8 Piece Set

Shank Dia: 1/4"

1/2" Head Carbide Burr 5 Piece Set

Shank Dia: 1/4"

3/8" Head Non-ferrous Burr 3 Piece Set

Shank Dia: 1/4"

3/8" Head Stainless Burr 3 Piece Set

Shank Dia: 1/4"



\$160
PN: CBSET10



\$128
PN: CBSET3



\$268
PN: CBSET8



\$288
PN: CBSET5



\$148
PN: CBSET3NF



\$163
PN: CBSET3INOX

Cylinder Shape



| Head Size | Overall Length | PN | Price |
|-----------|----------------|---------|-------|
| 1 | 2" | CBSA1 | \$35 |
| 3 | 2 1/2" | CBSA3 | \$50 |
| 3 | 6 3/4" | CBSA3L6 | \$80 |
| 5 | 2 3/4" | CBSA5 | \$69 |

Cylinder Shape with End Cut



| Head Size | Overall Length | PN | Price |
|-----------|----------------|---------|-------|
| 1 | 2" | CBSB1 | \$35 |
| 3 | 2 1/2" | CBSB3 | \$50 |
| 3 | 6" | CBSB3L6 | \$80 |
| 5 | 2 3/4" | CBSB5 | \$69 |

Radius Ended Cylinder Shape



| Head Size | Overall Length | PN | Price |
|-----------|----------------|---------|-------|
| 1 | 2" | CBSC1 | \$35 |
| 3 | 2 1/2" | CBSC3 | \$50 |
| 3 | 6" | CBSC3L6 | \$80 |
| 5 | 2 3/4" | CBSC5 | \$69 |

Ball Shape



| Head Size | Overall Length | PN | Price |
|-----------|----------------|---------|-------|
| 1 | 2" | CBSD1 | \$35 |
| 3 | 2 1/8" | CBSD3 | \$50 |
| 3 | 6" | CBSD3L6 | \$80 |
| 5 | 2 1/4" | CBSD5 | \$69 |

Flame Shape



| Head Size | Overall Length | PN | Price |
|-----------|----------------|-------|-------|
| 1 | 2 3/4" | CBSH1 | \$35 |
| 3 | 2 1/2" | CBSH3 | \$50 |
| 5 | 3" | CBSH5 | \$69 |

Ball Nosed Cone Shape



| Head Size | Overall Length | PN | Price |
|-----------|----------------|---------|-------|
| 1 | 2" | CBSL1 | \$35 |
| 3 | 3" | CBSL3 | \$50 |
| 3 | 6" | CBSL3L6 | \$80 |
| 5 | 3" | CBSL4 | \$69 |

Cone Shape



| Head Size | Overall Length | PN | Price |
|-----------|----------------|-------|-------|
| 1 | 1 7/8" | CBSM1 | \$35 |
| 3 | 2 1/2" | CBSM4 | \$50 |
| 5 | 2 3/4" | CBSM5 | \$69 |

Inverted Cone Shape



| Head Size | Overall Length | PN | Price |
|-----------|----------------|-------|-------|
| 1 | 2" | CBSN1 | \$35 |
| 3 | 2 1/8" | CBSN3 | \$50 |
| 5 | 2 1/4" | CBSN5 | \$68 |

60° Countersink Shape



| Head Size | Overall Length | PN | Price |
|-----------|----------------|-------|-------|
| 1 | 2" | CBSJ1 | \$35 |
| 3 | 2 1/4" | CBSJ3 | \$50 |
| 5 | 2 3/8" | CBSJ5 | \$69 |

90° Countersink Shape



| Head Size | Overall Length | PN | Price |
|-----------|----------------|-------|-------|
| 1 | 2" | CBSK1 | \$35 |
| 3 | 2 1/8" | CBSK3 | \$50 |
| 5 | 2 1/8" | CBSK5 | \$69 |

Wonder Gun Kit

Kit includes flat & small bore tubes, brush attachments, dust bag, 12" flexible extension hose & 1/4" NPT Female inlet connector.



\$79

PN: GPA0206KB

Tyre Inflators

Deluxe Tyre Inflator

Range: 0-160 PSI
Units: PSI, KPA



\$99

PN: GPA6200

Flexible Tyre Chuck

Inlet: JIS standard fitting
Output: Schrader Valve



\$20

PN: GPATC-2

Dual Access Tyre Water Chuck

• Perfect for adding ballast water to tractor tyres
Inlet: 15 mm Garden Hose Coupling
Output: Schrader Valve



\$31

PN: GPA1570W

Dual Access Tyre Chuck

Inlet: 1/4" Female Thread
Output: Schrader Valve



\$28

PN: GPA1570

Grease & Caulking Guns

Air & Manual Grease Gun



\$129

PN: GP1061D

- Takes standard 500cc cartridge

Kit includes one cannister, manual & pneumatic heads

Air Caulking Gun

- Accepts 3 different cartridge lengths

Cartridge Size: up to 400 g
Rec. air press.: 15-40 PSI
Weight 0.53kg



\$78

PN: GPA1352A-3

Hammering Tools

Air Hammer Kit

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.

Free Speed: 3,000 RPM
Stroke Length: 19.05 mm
Shank Size: 10.2 mm
Weight: 1.70 Kg



\$115

PN: GP102KD

Set of 2 Spring Retainers

- Suits 10.2 mm round chisels



\$16

PN: GPA70X2

Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 mm needles

Stroke Length : 33 mm
Impact Rate: 4,600 BPM
Overall length: 420 mm
Weight: 2.8 Kg



\$325

PN: GP201

Needle Scaler Attachment

- Converts most standard air hammers to needle scalars
- Replacement needles available

Needle Array: 19 Needles
Needle size: 3 x 180 mm



\$99

PN: GP60012

38 mm Flattening Hammer



\$41

PN: HAC-100

Blowguns

4" Rubber Tipped Blowgun

- Integrated metal inlet thread
- Rubber Tip

Length: 110 mm
Material: POM/Steel



\$18

PN: GP1562

Integrated Air Gun

- 1/4" steel inlet
- 2m fitted hose

\$49

PN: GPB90K



3/8" High Flow Blow Gun Kit

Kit includes:
High Flow Duster, Easily Adjustable High Flow Nozzle, Heavy Duty High Flow Nozzle & Standard Nozzle.



\$52

PN: GHP60AS

ALL METAL BODY!

Extendable Blow Gun

Length: 270 to 390 mm
Material: POM/Steel

- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring.



\$28

PN: GP1562E

1 Metre Blow Gun

Overall Length: 1050 mm
Inlet: 1/4" metal
Material: POM / Aluminum



- Durable all metal construction
- Foam grip

ALL METAL BODY!

\$56

PN: GP1561

Surface Preparation

Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within its 180° range.

Kit includes: five 105 mm (4 inch) stripping wheels, Spare disc hub & carry case.



\$645
PN: GP2001A

Straight Line Sander

- Takes 70 x 445 mm clip on paper.
- Ideal for flat panel automotive work.

Pad Size: 397 x 68 mm
Free Speed: 2,500 RPM
Weight: 2.5 Kg



\$199
PN: GP1203

5" Disc Sander

Includes 3", 4-1/2" & 5" fibre pads, for 22 mm hole abrasives, thread adapter for 50 mm pad & 50 mm abrasive pads

Spindle Size: 3/8 x 24 UNF
Free Speed: 16,000 RPM
Weight: 1.2 Kg

\$139
PN: GP1204R



6" Dual Action Sander

New!

Pad Size: 6" (150 mm)
Free Speed: 9,000 RPM
Orbit Diameter: 7 mm
Weight: 2.0 Kg



\$149
PN: GP1205N

10 MM Belt Sander

Belt Size: 10 x 330 mm

\$229
PN: GP1264A

20 MM Belt Sander

Belt Size: 20 x 520 mm

\$360
PN: GP1263A



7" Sanders & Polishers



7" Disc Sander

PN: GP1206A
Free Speed: 4,500 RPM
Spindle: Male 5/8-11UNC
Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

7" Angle Polisher

PN: GP1206P
Free Speed: 2,500 RPM
Spindle: Male 5/8-11UNC
Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

Velcro Backing Pads to suit on page 23.

\$299 EA

3" Cut Off Grinder

- Built in speed regulator
- Includes cut-off disc.
- Rear exhaust

Free Speed: 22,000 RPM
Disc Size: 3" (75 mm)
Weight: 0.75 Kg



\$115
PN: GP3201

Heavy Duty Angle Grinders



4" Heavy Duty Angle Grinder

Spindle Size: M10 x 1.5
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$289
PN: GP3102

5" Heavy Duty Angle Grinder

Spindle Size: M14 x 2.0
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$325
PN: GP31003

Air-Hydraulic Riveters

3/16" Air-Hydraulic Rivet Gun

Rivet Capacity: 3/32, 1/8, 5/32, 3/16"
Traction Power: 1950 lbs
Weight: 1.5 Kg



\$265
PN: GP1121D

9/32" Air-Hydraulic Riveter

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity: 3/16", 1/4", 5/32" & 9/32"
Traction Power: 3,120 Ft/lbs
Weight: 3.4 Kg



SUITABLE FOR STAINLESS RIVETS!

\$690
PN: GP6304

Air Body Saw

Capacity: 3 mm mild steel
Stroke length 9.5 mm
Free Speed: 10,000 OPM



\$210
PN: GP9301

Quality Bi-metal Blades

18 TPI Pack of 5

PN: PT301A18

24 TPI Pack of 5

PN: PT301A24

32 TPI Pack of 5

PN: PT301A32



\$26 EA

Impact Wrenches



\$275

PN: GP260T

1/2" Impact Wrench

Max Torque: 500 Ft/lbs
Nett Weight: 2.0 Kg



\$599

PN: GP3125

3/4" Impact Wrench

Max Torque: 1100 Ft/lbs
Nett Weight: 3.48 Kg

Heavy Duty Ratchet Wrenches



• Front exhaust
Max Torque: 75 ft/lbs
Free Speed: 200 RPM
Weight : 1.2 Kg

3/8" Drive PN: GP5203

1/2" Drive PN: GP5204

\$159 ea

Die Grinders

1/4" Medium Die Grinder

Collet Size: 1/4"
Free Speed: 22,000 RPM
Weight: 0.675 Kg



\$79

PN: GP2202

1/4" Angle Die Grinder

Collet Size: 1/4"
Free Speed: 18,000 RPM
Weight: 0.833 Kg



\$159

PN: GP2203R

Cleaning Guns

Bowl Type Engine Cleaning Gun

Bowl capacity: 700 cc
Length: 410 mm



\$80

PN: GPA034

Engine Cleaning Gun

• 1.2m feed hose with built in strainer
• Flow rate control
• Adjustable nozzle
Length: 405 mm
Feed hose Length: 1.2 m



\$47

PN: GPA1565

Compact Die Grinders

1/4" Die Grinder

• 1/8", 3 mm & 6 mm collets available
• Supplied with 1/4" Collet
• Front exhaust



Free Speed : 20,000 RPM
Collet Size : 1/4"
Weight : 0.35kg

\$65

PN: GP2201

1/8" Micro Die Grinder Kit



Free Speed: 55,000 RPM
Includes 10 grinding stones

\$199

PN: GP2204K

Air Engraving Stylus

• Medium point stylus included
• Fine & wide point stylus also available

Inlet: 1/4" Male thread
Hose Length: 1.43 m
Weight: 0.40 kg



\$265

PN: GP110

Reversible Drills

Reversible 3/8" Keyless Drill

Free Speed: 1,800 RPM
Chuck Size: 3/8" (10 mm) Keyless
Weight : 1.36 Kg



\$175

PN: GP41013K

1/2" Reversible Drill

Free Speed: 800 RPM
Drilling Capacity: 13 mm (1/2")
Weight : 1.76kg



\$219

PN: GP4204

3/8" Reversible Angle Drill

• Direction toggle switch with twist lock for forward direction only

• Top mounted throttle lever
• Rear exhaust



\$259

PN: GP4209

Free Speed : 1500 RPM
Drilling Capacity : 10 mm (3/8")
Weight : 1.02kg

SG420 Gravity Feed Air Brush



\$119

PN: SG420A

Nozzle: 0.3 mm
Working Pressure: 14-50 PSI
Fluid Capacity: 7 cc
Weight: 280 g

K818 Gravity Feed Spray Gun



\$239 EA

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 600 cc
Weight: 280 g

1.3 mm Nozzle PN: K818M13
1.4 mm Nozzle PN: K818M14
1.8 mm Nozzle PN: K818M18
2.5 mm Nozzle PN: K818M25

KH818 HVLP Gravity Feed Spray Gun



\$259 EA

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 600 cc
Weight: 514 g

1.3 mm Nozzle PN: KH818M13
1.4 mm Nozzle PN: KH818M14
1.8 mm Nozzle PN: KH818M18

K818 Suction Feed Spray Gun



\$239 EA

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 1000 cc
Weight: 514 g

1.3 mm Nozzle PN: K818S13
1.8 mm Nozzle PN: K818S18
2.0 mm Nozzle PN: K818S20
2.5 mm Nozzle PN: K818S25

KH818 HVLP Suction Feed Spray Gun



\$259

PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 1000 cc
Weight: 514 g
Nozzle: 1.8 mm S-Steel

K320 Mini Gravity Feed Spray Gun



Working Pressure: 30-45 PSI
Fluid Capacity: 125 cc
Weight: 280 g

0.8 mm Nozzle PN: K320M08
1.2 mm Nozzle PN: K320M12

\$169 EA

Pressure Feed Spray Gun Systems



2 Litre Pressure Feed Spray Gun System

- Features:
- 3 meter hose
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Tank handle/hanger

2 Litre Pressure Feed Tank
Tank dimensions:
130L mm x 130W mm x 445H mm
Capacity: 2 Litre
Max. pressure: 60 PSI
Weight total: 2.15 Kg

1.2 mm Nozzle PN: PW2LTRK12
1.5 mm Nozzle PN: PW2LTRK15
1.8 mm Nozzle PN: PW2LTRK18
2.0 mm Nozzle PN: PW2LTRK20
2.5 mm Nozzle PN: PW2LTRK25

\$455 EA

10 Litre Pressure Feed Spray Gun System

- Features:
- 3 meter hose
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Tank handle/hanger

10 Litre Pressure Feed Tank
Tank dimensions:
315L mm x 315W mm x 485H mm
Capacity: 10 Litre
Max. pressure: 60 PSI
Weight total: 10.1 Kg

1.2 mm Nozzle PN: PW10LTRK12
1.5 mm Nozzle PN: PW10LTRK15
1.8 mm Nozzle PN: PW10LTRK18
2.0 mm Nozzle PN: PW10LTRK20
2.5 mm Nozzle PN: PW10LTRK25

\$669 EA

20 Litre Pressure Feed Spray Tank System

- Features:
- 10 meter hose
 - Stainless Steel Liner
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Manual Agitation

K818 Pressure Feed 20 Litre Pressure Feed Tank

Tank dimensions:
400L mm x 400W mm x 780H mm
Capacity: 20 Litre
Max. pressure: 60 PSI
Weight total: 26 Kg

1.2 mm Nozzle PN: PW20LTRK12
1.5 mm Nozzle PN: PW20LTRK15
1.8 mm Nozzle PN: PW20LTRK18
2.0 mm Nozzle PN: PW20LTRK20
2.5 mm Nozzle PN: PW20LTRK25

\$1295 EA

1/2" Compact Impact Wrench

Free Speed: 9,500 RPM
Max. Torque: 500 Ft/Lbs
Weight: 1.65 Kg



97mm Head

\$295

PN: KP1479

1/2" Impact Wrench

1,000 Ft/lbs

Free Speed:
9,500 RPM
Max Torque: 1,000 Ft/lbs
Weight 2.30 Kg



\$299

PN: KP1488

1" Super Duty Impact Wrench

Free Speed: 5,000 RPM
Max. Torque: 1,800 Ft/lbs
Weight: 7.10 Kg



\$1235

PN: KP1838A-P

Super Duty Impact Wrenches

Free Speed: 5,500 RPM
Max. Torque: 1,600 Ft/lbs
Air Inlet: 1/2"



3/4" Drive

1" Drive

\$995

PN: KP1635

\$1199

PN: KP1835

3/4" Heavy Duty Impact Wrench

Free Speed: 5,500 RPM
Max Torque: 1100 Ft/Lbs
Nett Weight: 5.6 Kg



\$875

PN: KP1030

3/4" Heavy Duty Impact Wrench

Free Speed: 6,500 RPM
Max Torque: 750 Ft/lbs
Nett Weight: 4.55 Kg



\$599

PN: KP1023

6" Extended Anvils Available.

1" HD Impact Wrench

- Rubber body protection
- Side handle
- 4 power settings with forward & reverse selector

Free Speed: 3,500 RPM
Max. Torque: 2,500 Ft/lbs
Length: 436 mm
Air Inlet: 1/2"
Weight: 15.55 Kg



2,500 Ft/lbs

\$2155

PN: KP1045

Pittsburgh Hammer

Impact Rate: 4,200 BPM
Stroke: 50 mm
Length: 260 mm
Weight: 2.20 Kg



\$235

PN: KP4711PH

4" Heavy Duty Extended Cut Off Tool

- Ideal for hard to access cutting exhaust pipes, body panels



Free Speed:
14,000 RPM
Length: 345 mm
Output: 745 Watt
Weight: 1.40 Kg

\$389

PN: KP4413

Compact Needle Scaler

Impact Rate: 3,700 BPM
Overall Length: 350 mm
12 Needles Ø3 x 125 mm



\$239

PN: KP4714

Heavy Duty Chipping Hammer

- Side Exhaust
- Moil Point & Flat Chisels available

Stroke: 102 mm
Impact Rate: 1500 BPM
Length: 350 mm
Weight: 9 Kg



\$779

PN: KP4785S3H

Heavy Duty Air Caulking Gun

Takes 50 mm diameter sausages
400, 500 & 600 ml sizes.
Air pressure: 45-90 PSI
Length: 550 mm
Weight: 0.9 Kg



\$236

PN: KP4613

Pistol Grip Needle Scaler

Impact Rate: 3,700 BPM
Overall Length: 350 mm
19 Needles Ø3 x 180 mm



\$359

PN: KP4722P

Dual Chuck Tyre Gauge

Units: PSI, kg/cm2, KPA & Bar
Air Flow: 1.28 CFM @ 100 PSI
Range: 0-220 PSI
Hose Length: 750 mm
Weight: 1.2 Kg

Ideal for Truck Tires



\$165

PN: KP79607

Two Speed Air Sander

- Includes 50 mm & 75 mm Quick-Lock Backing Pads
- Side mounted speed regulator

Free Speed: 15,000 RPM
Weight: 0.45 Kg



\$165

PN: KP6712

Extra 2" Pad

Air/Hydraulic Nutsert Gun

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set available

Traction Power: 3,640 Ft/lbs
Stroke: 6 mm
Weight: 1.55 Kg



\$990

PN: KP4253

SOCKET SETS

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

3/8" DRIVE

\$68 EA



3/8" 8 Piece Metric Socket Set

PN: GX838SSM

Sizes: 8, 10, 11, 12, 13, 15, 17 & 19 mm

3/8" 8 Piece Imperial Socket Set

PN: GX838SSI

Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"

1/2" DRIVE

\$135 EA



1/2" 13 Piece Metric Socket Set

PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

1/2" 13 Piece Imperial Socket Set

PN: GX1312SSI

Sizes 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"

3/4" DRIVE

\$195 EA



3/4" 8 Piece Metric Socket Set

PN: GX834SSM

Sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

3/4" 8 Piece Imperial Socket Set

PN: GX834SSI

Sizes 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"

HEX & TORX® BIT SETS

Made from SNMC 8660 Steel which allows 20% more torque than CR-MO.

\$89 EA



1/2" 8 Piece Metric Hex Bit

PN: GX12HBSM

Sizes: H5, H6, H8, H10, H12, H14, H17 & H19 mm

1/2" 8 Piece Imperial Hex Bit

PN: GX12HBSI

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4"

\$99

PN: GX12TX3



1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40, T45, T50, T55 & T60 bits

3/4" Drive Budd Wheel Sockets

17 mm Square PN: GXBWS3417

19 mm Square PN: GXBWS3419

21 mm Square PN: GXBWS3421

Removes studs on dual-wheel applications. To suit Isuzu, Hino, Mitsubishi, Fuso and most European trucks.



\$31 EA

IMPACT UNIV. JOINTS



3/8" Drive Universal Joint
Overall Length 50 mm

\$22


PN: GX33U



1/2" Drive Universal Joint
Overall Length 63 mm

\$25

PN: GX12U



3/4" Drive Universal Joint
Overall Length 90 mm

\$45

PN: GX34U

Molybdenum Steel CR-MO.

5 PIECE ADAPTER SETS

\$25

PN: GX5AS



5 Piece Std Adapter Set

• Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

\$35

PN: GX1A5



5 Piece Impact Adapter Set

• Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

SOCKET & EXTENSION BAR SETS

1/2" Sockets & Torque Extension Bar Set

- Teflon sleeved
- Chrome Molybdenum

Narrow Wall Impact Sockets sizes: 17, 19, 21 mm & 3/16"

Torque Bars sizes: 65, 80, 100 & 120 Ft/lbs

\$144

PN: GPA1696



1/2" Drive Thin Wall 3 Piece Impact Socket Set

- Teflon sleeved sockets for protecting alloy wheels surfaces from scuffing.
- Cast with Chrome molybdenum steel.

Sizes: 17, 19 & 21 mm

\$50

PN: GPA1694



WOBBLE IMPACTING BAR SETS

Made from Chrome Molybdenum Steel CR-MO.

1/4" Wobble Extension Bar 5 Piece Set

Kit includes: 3", 6", 10" & 12" bars

\$47

PN: GXWEBS14



3/8" Wobble Extension Bar 4 Piece Set

Kit includes: 3", 6", 10" & 18" bars

\$67

PN: GXWEBS38

1/2" Wobble Extension Bar 4 Piece Set

Kit includes: 3", 5", 10" & 18" bars

\$78

PN: GXWEBS12

Fitted Air Hoses

Fitted with Japanese compatible One Touch couplings.



Made in Australia

10 MM Fitted Air Hoses

10 MM ID

20 Metre
PN: AH1020F
30 Metre
PN: AH1030F

\$61
\$82

12 MM Fitted Air Hoses

12 MM ID

20 Metre
PN: AH1220F
30 Metre
PN: AH1230F

\$92
\$124

Recoil Air Hoses



10 MM Recoil Air Hoses

6.5 MM ID x 10 MM OD

2 Metre
PN: GPH1003LBHL
5 Metre
PN: GPH1006LBHL
6 Metre
PN: GPH1008LBHL
8 Metre
PN: GPH1010LBHL

\$50
\$54
\$60
\$72

12 MM Recoil Air Hoses

8 MM ID x 12 MM OD

5 Metre
PN: GPH1206LBHL
6 Metre
PN: GPH1208LBHL
8 Metre
PN: GPH1210LBHL
10 Metre
PN: GPH1212LBHL

\$60
\$72
\$82
\$88

Premium Air Tool

- Add only a couple of drops daily to prolong the performance of any air operated tool
- Formulated to greatly reduce internal wear and maintain the integrity of the gaskets and seals



Premium Air Tool 250 ML

\$10

PN: SI250

Premium Air Tool 1 Litre

\$19

PN: SI1000

Premium Air Tool 5 Litre

\$79

PN: SI5000

geiger™ Air Fittings



ONE-TOUCH CONNECTOR

1/4" Female Socket
PN: THB20SFT
3/8" Female Socket
PN: THB30SFT
1/2" Female Socket
PN: THB40SFT

\$15
\$15
\$15



ONE-TOUCH CONNECTOR

1/4" Hose Socket
PN: THB20SHT
3/8" Hose Socket
PN: THB30SHT
1/2" Hose Socket
PN: THB40SHT

\$15
\$15
\$15



ONE-TOUCH CONNECTOR

1/4" Male Socket
PN: THB20SMT
3/8" Male Socket
PN: THB30SMT
1/2" Male Socket
PN: THB40SMT

\$15
\$15
\$15



1/4" Female Plug
PN: THB20PFA
3/8" Female Plug
PN: THB30PFA
1/2" Female Plug
PN: THB40PFA

\$4
\$4
\$5



1/4" Hose Plug
PN: THB20PHA
3/8" Hose Plug
PN: THB30PHA
1/2" Hose Plug
PN: THB40PHA

\$4
\$4
\$4



1/4" Male Plug
PN: THB20PMA
3/8" Male Plug
PN: THB30PMA
1/2" Male Plug
PN: THB40PMA

\$4
\$4
\$5

Swivel Connectors

Male thread to Japanese Style Plug
Range: 22°

1/4" Thread PC: B05

3/8" Thread PC: B07



\$15 EA

Inline Regulators

1/4" Air Flow Regulator

1/4" Air Flow Regulator with Male plug



\$17
PN: GPA1010



\$17
PN: GPA1011

BASSO Velcro Pads

6" Velcro Pad

Thread: 5/16" UNC Male
Max Speed: 12,000 RPM

\$38

PN: F6505



6" Dust Free Velcro Pad

Thread: 5/16" UNC Male
Max Speed: 12,000 RPM

\$41

PN: F6565



IN-LINE COMPONENTS

2 Way Cluster Quick Coupler

\$28

PN: GPA1513

3 Way Cluster Quick Coupler

\$33

PN: GPA1514



2 Way In-line Quick Coupler

\$28

PN: GPA1515

3 Way In-line Quick Coupler

\$33

PN: GPA1516

4 Way In-line Quick Coupler

\$37

PN: GPA1517



In-line Components

1/4" In-line Water Separator
 Max Press.: 90 PSI
 1/4" NPT Female to Male



\$28

PN: GPA1512

1/4" In-line Lubricator
 1/4" NPT Female to Male
 Capacity: 15 mL



\$25

PN: GPA1025

1/4" Mini Filter Regulator

Max Input Press.: 280 PSI
 Output Press.: 7-142 PSI
 Measuring Units: PSI, kg/cm²
 Max Flow: 38.85 CFM
 Drain Capacity: 15 mL
 Filter Element: 5 µm



\$65

PN: THBFR212

1/4" Mini Filter Regulator Lubricator

Max Input Press.: 150 PSI
 Output Press.: 7-142 PSI
 Units: PSI, kg/cm²
 Max Flow: 38.85 CFM
 Drain Capacity: 15 mL
 Oil Capacity: 30 mL
 Filter Element: 5 µm



SUPER COMPACT
 140W x 135H mm

\$75

PN: THBC202

Regulators



1/4" Regulator

Max Input Press.: 150 PSI
 Output Press.: 7-142 PSI
 Measuring Units: PSI, kg/cm²
 Max Flow: 38.85 CFM

\$41

PN: THBR202

1/2" Regulator

Max Input Press.: 215 PSI
 Output Press.: 7-150 PSI
 Measuring Units: PSI, kg/cm²
 Max Flow: 105.94 CFM

\$51

PN: THBR804

3/4" Regulator

Max Input Press.: 250 PSI
 Output Press.: 7-225 PSI
 Measuring Units: PSI, kg/cm²
 Max Flow: 162.45 CFM

\$144

PN: THBR906

1" Regulator

Max Input Press.: 250 PSI
 Output Press.: 7-225 PSI
 Measuring Units: PSI, kg/cm²
 Max Flow: 183.64 CFM

\$144

PN: THBR908

Filter Regulator Lubricators

Max Input Press.: 215 PSI
 Output Press.: 7-150 PSI
 Measuring Units: PSI, kg/cm²
 Oil Capacity: 125 mL
 Filter Element: 5 µm



Port Size: 1/4" NPT
 Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT
 Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT
 Max Flow: 105.94 CFM

PN: THBFLR804

\$99

Filter Regulators

Max Input Press.: 215 PSI
 Output Press.: 7-150 PSI
 Measuring Units: PSI, kg/cm²
 Drain Capacity: 80 mL
 Filter Element: 5 µm



Port Size: 1/4" NPT
 Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT
 Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT
 Max Flow: 105.94 CFM

PN: THBFR804

\$61 EA

3/4" Hi-Flow Filter Regulator

Max Input Press.: 250 PSI
 Output Press.: 7-142 PSI
 Measuring Units: PSI, kg/cm²
 Max Flow: 162.45 CFM
 Drain Capacity: 300 mL

PN: THBFR926A



1" Hi-Flow Filter Regulator

Max Input Press.: 250 PSI
 Output Press.: 7-142 PSI
 Measuring Units: PSI, kg/cm²
 Max Flow: 183.64 CFM
 Drain Capacity: 300 mL

PN: THBFR928A

\$247 EA

AUTO-DRAIN FUNCTION

Filters

1/2" Auto Drain Filter

Port Size: 1/2" NPT
 Max Input Press.: 225 PSI



\$77

PN: THBD704A

1/2" Filter

Port Size: 1/2" NPT
 Max Input Press.: 215 PSI
 Max Flow: 105.94 CFM



\$50

PN: THBF804

Lubricators

Max Input Press.: 215 PSI
 Oil Capacity: 125 mL

Port Size: 1/4" NPT
 Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT
 Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT
 Max Flow: 105.94 CFM

PN: THBL804



\$61 EA

Premium Compressor Oil

- Specially formulated additives give superior protection against wear and corrosion
- Excellent water & air separation, to ensure reliable operation with minimal foaming and emulsification



\$25

PN: COMPOIL1

Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes 1 of each:
1/4" shank, 2" backing pad, 24 grit 2" disc,
36 grit 2" disc, 50 grit 2" disc, Brown (Coarse)
surface prep 2" disc & Maroon (Medium)
surface prep 2" disc.

\$30

PN: GPK2



Abrasive & Sanding Pads made in USA.

3" Quick-Lock Preparation Kit

7 Piece kit includes 1 of each: 1/4" shank, 3" backing pad,
24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc,
Brown (Coarse) surface prep 3" disc &
Maroon (Medium) surface prep 3" disc.

\$42

PN: GPK3



Abrasive & Sanding Pads made in USA.

8 Piece Flap Wheel Kit

Kit includes:

25 mm x 12 mm, 120 Grit, x 1
25 mm x 25 mm, 40 Grit, x 1
25 mm x 25 mm, 80 Grit, x 1
40 mm x 25 mm, 60 Grit, x 1
40 mm x 25 mm, 80 Grit, x 1
50 mm x 25 mm, 80 Grit, x 1
50 mm x 25 mm, 60 Grit, x 2

\$54

PN: GFWK



Zirconia Sanding Belts



Pack of 10 Belts.

10 MM Sanding Belts

Size: 10 mm x 330 mm

40 Grit PC: SIP10MMXP40

60 Grit PC: SIP10MMXP60

80 Grit PC: SIP10MMXP80

100 Grit PC: SIP10MMXP100

120 Grit PC: SIP10MMXP120

\$29 EA

20 MM Sanding Belts

Size: 20 mm x 520 mm

40 Grit PC: SIP20MMXP40

60 Grit PC: SIP20MMXP60

80 Grit PC: SIP20MMXP80

100 Grit PC: SIP20MMXP100

120 Grit PC: SIP20MMXP120

\$41 EA

Quick-Lock Polishing Pads



50 mm Quick-Lock
Felt Polishing Pad

\$10

PN: GPA1525



75 mm Quick-Lock
Felt Polishing Pad

\$15

PN: GPA1575

Polishing Mops

1/4" Shank
Tapered Spindle

Fits 50 mm Calico
Polishing Mops
(PN: PMC50).



\$39

PN: TS12

50 mm Calico Polish Mop

For use with Taper
Spindle (PN: TS12).
Width: 20 mm

\$30

PN: PMC50

Velcro Backing Pads

50 mm Velcro
Backing Pad
Shank Size: 1/4"



\$32

PN: GPA50

75 mm Velcro
Backing Pad
Shank Size: 1/4"



\$39

PN: GPA75

Velcro Polishing Pads

60 mm Polishing Pad
Suits 50 mm Velcro
Backing Pad



\$13

PN: OWB-60

80 mm Polishing Pad
Suits 75 mm Velcro
Backing Pad



\$23

PN: 119-102

geiger

Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock
Backing Pad



\$19

PN: GPA1523K

75 MM Quick-Lock
Backing Pad



\$23

PN: GPA1524K

Quick-Lock Abrasive Pads (Packs of 10)



50 MM

\$32 EA



75 MM

\$59 EA

Blue 50 MM Fine

PN: GPA1527X10

Maroon 50 MM Medium

PN: GPA1528X10

Brown 50 MM Coarse

PN: GPA1526X10

Blue 75 MM Fine

PN: GPA1530X10

Maroon 75 MM Medium

PN: GPA1531X10

Brown 75 MM Coarse

PN: GPA1529X10

Quick-Lock Zirconia Sanding Discs



50 mm Quick-Lock Zirconia
Sanding Discs (Packs of 5)

36 Grit PN: AB22012S36

60 Grit PN: AB22012S60

80 Grit PN: AB22012S80

120 Grit PN: AB22012S120

\$14 EA

75 mm Quick-Lock Zirconia
Sanding Discs (Packs of 5)

36 Grit PN: AB22013S36

60 Grit PN: AB22013S60

80 Grit PN: AB22013S80

120 Grit PN: AB22013S120

\$21 EA

Quick-Lock Zirconia Mini Flap Discs



50 mm Quick-Lock Zirconia
Mini Flap Discs (Packs of 5)

40 Grit PN: AB22012F40

60 Grit PN: AB22012F60

80 Grit PN: AB22012F80

120 Grit PN: AB22012F120

\$27 EA

75 mm Quick-Lock Zirconia
Mini Flap Discs (Packs of 5)

40 Grit PN: AB22013F40

60 Grit PN: AB22013F60

80 Grit PN: AB22013F80

120 Grit PN: AB22013F120

\$38 EA

Sheep Skin Polishing Bonnets

100% Merino sheep skin wool pile with tie cord.
Max. speed: 2,500 RPM
Thickness: 32 MM



Velcro Backing Pads

6" Dust Free Velcro Multi-Fit Pad
Thread Size: M8 & 5/16" UNF
Pad Thickness: 14 MM
Max Speed: 12,000 RPM



Suits Festool & Makita Sanders!

\$66
PN: FP17099

5" Merino Wool Sheep Skin Polishing Bonnet.

\$28
PN: FP40005

7" Merino Wool Sheep Skin Polishing Bonnet.


\$34
PN: FP40015

9" Merino Wool Sheep Skin Polishing Bonnet.

\$42
PN: FP40025

150 MM Velcro Internally Threaded Pad

• Medium Pad Density
Pad Thickness: 12 MM
Max Speed: 10,200 RPM



M14 Int. Thread


\$51
PN: FP36155

5/8" UNC Int. Thread

\$51
PN: FP36160

180 MM Velcro Internally Threaded Pad

• Medium Pad Density
Pad Thickness: 12 MM
Max Speed: 8,500 RPM



M14 Int. Thread

\$61
PN: FP36170

5/8" UNC Int. Thread

\$61
PN: FP36175

200 MM Velcro Internally Threaded Pad

• Medium Pad Density
Pad Thickness: 12 MM
Max Speed: 6,500 RPM



M14 Int. Thread

\$61
PN: FP36185

5/8" UNC Int. Thread

\$61
PN: FP36190

Nylon Backing Pads



115 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2
Pad Thickness: 15 MM
Max Speed: 12,250 RPM

\$23
PN: FP20115

100 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2
Pad Thickness: 15 MM
Max Speed: 12,250 RPM

\$22
PN: FP20020

7" Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2
Pad Thickness: 20 MM
Max Speed: 8,500 RPM

M14 Int. Thread

\$27
PN: FP20310

5/8" UNC Int. Thread

\$27
PN: FP20305

5" Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2
Pad Thickness: 16 MM
Max Speed: 12,250 RPM

\$23
PN: FP20210



A one of a kind brush system

Unlike other sweeping brush devices, Haaga sweepers rely on their patented disk brush technology. These two specially made circular brushes cut under the waste material and whisk it directly into the waste container. The coarse or fine debris is not run over or pushed around in front of the sweeper.



haaga 355

300 Series Commercial Sweeper
Cleaning Width: 550 mm
Performance: 1600 m²/h
Capacity: 20 Liters
Weight: 7.2 kg (empty)



\$569
PN: HG355



haaga 477

400 Series Commercial Sweeper
• Stores vertically in most closets (1550H x 780W x 300mm)
Cleaning Width: 770 mm
Performance: 3,000 m²/h
Capacity: 50 Liters
Weight: 15 kg (empty)



\$1049
PN: HG477



haaga 497

400 Series Commercial Sweeper
Cleaning Width: 970 mm
Performance: 3,600 m²/hr
Capacity 50 litres.
Weight: 15.7 kg (empty)



\$1295
PN: HG497



WORKSHOP CATALOGUE

Valid 1st February to June 30th 2020.
All prices quoted include GST.

Distributed by:

JETON[®] Nozzle Kits

Ideal for use with petroleum solvents or lubricants, detergents or brake fluids.

1/4" Assorted Nozzle Kit

Includes 300 MM of 1/4" hose segments, 1/16", 1/8", 1/4" Nozzles, 1/4" & 1/8" Male threaded PT Connectors

\$34

PN: CS32020



1/2" Assorted Nozzle Kit

Includes 300 MM of 1/2" hose segments, 1/4", 3/8" & 1/2" Nozzles, 3/8" & 1/2" Male threaded PT Connectors

\$48

PN: CS34040

Other kits available.

All-In-One Sandblaster

- Ideal for spot and rust removal on small areas
- Light weight all in one design

Nozzle Size: 5.2 MM
Capacity: 266cc



\$59

PN: GPAS3100



Twin-LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant

\$149

PN: GLED2CIL

**SUPER BRIGHT
880
LUMENS!**



Tapping Wrenches

T-Handle Ratchet Tap Wrench

- Forward, Locked & Reverse Ratchet
- Slidable T-handle

Range: 5M to 12M
Length: 120 MM

\$25

PN: GTHRW



Tap Wrench

Range: 4M to 12M
Length: 280 MM

\$26

PN: GTHW



Desktop Magnification Lamp

- Adjustable height and angle
- Interchangeable 100 MM lens (sold separately)
- Bright 560 Lumen LED lamp with lens cover

\$99

PN: ML30

Lens dia.: 100 MM
Magnification: 3 Diopter
Max lens height: 300 MM
Brightness: 560 Lumen
Power supply: 240V
Power consumption: 6W
Cord length: 1.3m

**560 Lumen
LED lamp**



Wall & Bench Storage

48 Drawer Parts Cabinet

586W x 222D x 937H mm

\$425

PN: A7443

24 Drawer Parts Cabinet

444W x 222D x 642H mm

\$299

PN: A7824

40 Bin Wall Storage Kit

- Hang panels horizontally or vertically

Includes 2 Panels,
40 x HB210 Bins,
screws & wall plugs.

PN: HP1KITB

PN: HP1KITR



\$179 EA



Air Hose Reels

20 Metre Manual Hose Reel

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base
- Includes wall hanging bracket

Hose Size: 20 Metre x 11 mm ID

\$249

PN: GPHR1220



Wall Mountable 20m Hose Reel

- Wall mountable with 180° swivel bracket
- 1.5m inlet hose with 360 swivel inlet
- Adjustable air line stopper
- Metal housing
- Shrouded Socket

Hose Size: 20 Metre x 11 mm ID

\$289

PN: GPHR1020

