

# The WORKSHOP

## CATALOGUE

NOVEMBER > JANUARY 2021 All prices quoted include GST.



**\$239**

PN: K318M13

See full range on page 13.

**PROWIN™ TOOLS**

### K818 Gravity Feed 1.3 mm Spray Gun

Working Pressure: 30-45 psi  
Fluid Capacity: 600 cc  
Weight: 280 g

#### Easy Cleaning!

- Forged aluminum body
- Stainless steel nozzle & needle
- Teflon seals & packing

### Protractors

Size: 100 x 150 MM  
Graduation: 1°  
Range: 10-170°

**\$68**

PN: AC-313-006-01

Size: 300 x 600 MM  
Graduation: 1°  
Range: 10-170°

**\$219**

PN: AC-313-024-01



**NEW!**

**ACCUD**

### Zinc Plated Split Pins

Small 300 Piece kit  
Range:  
2.5 to 5 mm dia.

**\$27**

PN: AAK03

Large 500 Piece kit  
Range:  
1.6 to 5 mm dia.

**\$41**

PN: AAK09



**Find it Faster with the 1:1 Pictures!**

**TORRES**  
ASSORTED KITS

See full range on page 2.

### BASSO

#### Floor Stapler

**\$429**

PN: BFS15550-A3

Staple Crown: 1/2" (15.5 Gauge)  
Staple Length: 25-50 MM  
Capacity: 102 Staples  
Height: 545 MM  
Weight: 4.6 kg

**Includes Mallet.**



- Depth adjustable non-marking base for 1/2" & 3/4" wood

See full range on page 14.



#### 1/2" Impact Wrench

Free Speed: 9,500 RPM  
Max Torque: 1,000 Ft/lbs  
Weight 2.30 kg

**1,000 Ft/lbs** **2.3 Kg**

**\$299**

PN: KP1438



#### 1" HD Impact Wrench

• 4 power settings with forward & reverse  
• Side handle

Free Speed: 3,500 RPM  
Max. Torque: 2,500 Ft/lbs  
Length: 436 MM  
Air Inlet: 1/2"  
Weight: 15.55 kg

**2,500 Ft/lbs**

**\$2155**

PN: KP1045



#### Reversible Shank

Drill not included.

**HIGH SPEED STEEL**

- Quickly deburr internal & external edges of cylindrical work pieces with superior results.
  - Can be used with power tools or Multi-Component Deburring Handle (PN: GDSTSDMK)
  - Made from HSS (M2 Grade)
- Max Speed: 1,800 RPM

**geiger™**

**NEW!**

#### Hex-Drive Pipe Deburring Bits

OD Range: 22-42 MM  
ID Range: 22-46 MM  
Angle: 45°

**\$139**

PN: GD22429-2F

OD Range: 22-42 MM  
ID Range: 22-46 MM  
Angle: 60°

**\$165**

PN: GD22426-2F

OD Range: 40-58 MM  
ID Range: 40-62 MM  
Angle: 60°

**\$249**

PN: GD40536-2F



**geiger™**

**NEW!**

#### Mechanics Creeper

- Steel reinforced caster mounts
- Integrated side trays
- 150 kg Load Rating

Size: 1005 x 470 x 135 MM  
Wheel Size: 75 x 25 MM

**150 kg LOAD RATING**



**\$159**

PN: GCR40

**Steel Reinforced Caster Mounts**



## Automotive Fasteners Kits

### Japanese Sems Fine Hex Bolts

140 piece kit includes an assortment of M5x16, M5x20, M5x25, M6x16, M6x20, M6x25, M8x16, M8x20, M8x25 & M8x30 Japanese Automotive Fine Hex Sems screws.



**\$37**  
PN: AAK01

### Mushroom Pozidrive Self Tapping Screws

200 piece kit includes an assortment of 8 types of Pozidrive Self Tapping Screws, ranging from M8 (4.2 mm x 19) to No.10 (4.8 mm x 30).



**\$27**  
PN: AAK04

### DIN 912 Socket Head Cap Screws

120 piece kit includes an assortment of 10 types of DIN 912 (grade 12.9) Allen head socket cap screws, ranging from M5x16 & M10x30.



**\$27**  
PN: AAK17

### Exhaust Manifold Studs & Nuts

80 piece kit includes an assortment of 8 types of exhaust manifold studs & nuts ranging from M8x1.25 to M10x1.5 Copper Nuts and M8x1.25x40 to M10x1.5x50 Studs.



**\$64**  
PN: AAK11

### DIN 916 Socket Head Grub Screws

300 piece kit includes an assortment of 8 types of DIN 916 (grade 10.9) Allen head grub screws, ranging from M4x10 & M6x16.



**\$33**  
PN: AAK18

### Propshaft Bolts (Grade 10.9)

40 piece kit includes an assortment of 10 types of (Grade 10.9) propshaft bolts, ranging from M8x1x30 to M12x1.5x40.



**\$37**  
PN: AAK25

### DIN 7991 C'sunk Socket Head Screws

160 piece kit includes an assortment of 10 types of DIN 7991 (grade 10.9) Allen socket countersunk screws, ranging from M4x12 to M10x30.



**\$27**  
PN: AAK19

### Durlock Flange Bolts & Flange Nuts

100 piece kit includes an assortment of 12 types of (Std Course Thread) DIN 6921 durlock flange Bolts & DIN 6923 flange nuts and bolts, ranging from M6x12 to M10x25.



**\$30**  
PN: AAK26

## Automotive Electrical Kits

### Spade, Flag, Butt & Bullet Connectors

110 piece kit includes an assortment of 19 types of spade, flag, butt & bullet connectors, in a variety of Blue Red & Yellow.



**\$44**  
PN: AAK21

### Plug-in Blade Fuses

50 piece kit includes an assortment of 10 types of Maxi Plug Blade Fuses, ranging from 7.5 AMP, 10 AMP, 15 AMP, 20 AMP, 25 AMP, 35 AMP, 40 AMP Fuses.



**\$30**  
PN: AAK24

### Pre-Insulated Electrical Terminals

125 piece kit includes an assortment of 20 types of pre-insulated Round and Male Bullet electrical terminals, in a variety of Blue, Red, & Yellow.



**\$44**  
PN: AAK22

### Automotive Glass Tube & Blade Fuses

70 piece kit includes an assortment of 14 types of automotive glass tube & maxi-blade fuses.



**\$37**  
PN: AAK28

### Open End & Pin Electrical Terminals

105 piece kit includes an assortment of 19 types of open end & pin electrical terminals, in a variety of Blue, Red & Yellow.



**\$44**  
PN: AAK23

### Heat Shrink Tubing

171 piece kit includes tubing in standard colours & lengths of 30, 60, 90 mm & 1m, diameters between 2.0 & 10.0 mm, a thermal rating of -55 to 125°C and compliances with RoHS, CRU, CSA.



**\$28**  
PN: AAK33

## Automotive Seals & Retainers

### Grease Nipples - Small Kit

50 piece kit includes an assortment of 8 types of grease nipples, ranging from 1/8 BSP, 1/8 NPTx90°, 1/8 BSPx90°, 1/4 SAE/UNF, M6x1x45°, M8x1.25, M8x1.25x90° & M8x1x45° Grease Nipples.



**\$42**  
PN: AAK15

### Speed Clips & Nuts

90 piece kit includes an assortment of 7 types of speed clips & nuts, ranging from (No. 10) 4.8 mm to (No.14) 6.3 mm Speed Clips and 5 & 6 mm Speed Nuts.



**\$34**  
PN: AAK05

### DIN 7604A Soft Annealed Copper Washers

130 piece kit includes an assortment of 8 types of DIN 7604a Small Soft Annealed Copper Washers, ranging from M6 to M18.



**\$43**  
PN: AAK12

### DIN 94 Split Pins - Small Kit

300 piece kit includes an assortment of 9 types of DIN 94 split pins, ranging from 2 mm dia. x 25 mm to 5 mm dia. x 63 mm Split Pins.



**\$27**  
PN: AAK08

### Fibre Washers

250 piece kit includes an assortment of 8 types of Fibre Washers, ranging from M4 (4.3 x 9 x 0.8 mm) to M16 (16.1 x 22 x 0.8 mm).



**\$39**  
PN: AAK13

### DIN 6799 Black Oxide E Clips

300 piece kit includes an assortment of 8 types of DIN 6799 black oxide e clips, ranging from M3, M4, M5, M6, M7, M8, M10 & M12.



**\$30**  
PN: AAK20

### Nitrile 70 Duro Shore A Imperial O-rings

225 piece kit includes an assortment of 18 types of nitrile 70 duro shore a imperial o-rings ranging from 3/32" ID x 1/16" (2.38 mm ID x 1.78 mm) to 13/16" ID x 5/32" (20.22 mm ID x 3.53 mm).



**\$37**  
PN: AAK31

### External Circlips

120 piece kit includes an assortment of 16 types of external circlips, ranging from M5 to M24.



**\$37**  
PN: AAK30



## Wall Fasteners

### Anchored Hammer Drive Expansion Nails

100 piece kit includes an assortment of 8 types of expansion hammer drive nail ranging from M6x60, M6x50, M6x80, M8x60, M5x50, M6x40, M5x25 & M5x35.



**\$29**  
PN: HAK18

### Expansion Fixing Wall Plugs

200 piece kit includes an assortment of 8 types of expansion fixing wall plugs ranging from 4, 5, 5.5, 6, 7, 8, 10 & 11 mm.



**\$23**  
PN: HAK19

### Cable Clips

250 piece kit includes an assortment of 12 types of cable clips ranging from 3 to 14 mm Round Cable Clips and 1.5 to 5 mm Square Cable Clips.



**\$26**  
PN: HAK33

### Coach Screws & Wall Plugs

100 piece kit includes an assortment of DIN 571 coach screws ranging from M6x30, M6x40, M6x50, M8x50, M6x75, M8x40, M8x60, M10x75 and 10 & 11 mm Wall Plugs.



**\$32**  
PN: HAK36

### Spring Toggles & Machine Screws

60 piece kit includes an assortment of M4, M5 & M6 Spring Toggles and M4x50, M4x75, M4x40, M5x50, M5x70, M6x50, M6x60, M6x70 cheese Head Machine Screws.



**\$29**  
PN: HAK38

## Self Tapping Screws

### Pan Pozi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan pozi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



**\$38**  
PN: HAK01

### Pan Combi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan combi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



**\$38**  
PN: HAK03

### Countersunk Pozi Self Tapping Screws

500 piece kit includes an assortment of 14 types of pozi self tapping zinc plated screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



**\$38**  
PN: HAK04

### Countersunk Bugle Head

300 piece kit includes an assortment of plasterboard screws ranging from 16, 25, 32 & 41 mm No.6 3.5 mm Screws and 25, 32, 50 & 75 No.8 4.2 mm Screws.



**\$26**  
PN: HAK20

### Countersunk Wood Screw Kit

200 piece kit includes an assortment of 10 types of CSK slot drive wood screws ranging from No. 4 (2.9x16 mm) to No. 10 (4.8x30 mm).



**\$30**  
PN: HAK40

## Driver Kits

### Pozidrive, Square & Magnetic Nut Setters

60 piece kit includes an assortment of 10 mm Magnetic Nut Setters, 3/8 Magnetic Nut Setters, No.1x25, No.3x25, No.3x50, No.2x25, No.2x50 Poz Bits, No.1x50 long Poz Bits, No.1x25, No.1x50, No.2x25, No.2x50 Square Drive Bits.



**\$62**  
PN: HAK39

## Nut & Bolt Kits

### Mild Steel Zinc Plated Nuts & Bolts

150 piece kit includes an assortment of 8 types of Mild Steel Zinc Plated M6 & M8 nuts & bolts, ranging from, M6x25, M6x16, M8x20, M8x25, M8x30 & M8x40.



**\$28**  
PN: HAK11

### Zinc Plated Hex Nuts

200 piece kit includes an assortment of 8 types of DIN 934 Zinc Plated Hex Nuts, ranging from M4, M5, M6, M8, M10, M12, M14 & M16.



**\$23**  
PN: HAK12

### Nylon Self Locking Nuts

100 piece kit includes an assortment of 8 types of Nylon Self Locking Nuts, ranging from M4, M5, M6, M8, M10, M12 & M16.



**\$26**  
PN: HAK37

### Cheese Head Machine Nuts & Bolts

500 piece kit includes an assortment of 16 types of cheese head machine screws ranging from M3x10 to M6x40 & M6 nuts.



**\$30**  
PN: HAK08

### Gutter Bolts & Square Pressed Nuts

300 piece kit includes an assortment of M6x12 to M6x60 Gutter Bolts and M6 Square Pressed Nuts.



**\$26**  
PN: HAK17

## Washer Kits

### Heavy Duty Zinc Plated Flat Washers

500 piece kit includes an assortment of 8 types of heavy duty zinc plated flat washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



**\$27**  
PN: HAK07

### Small Fender (Penny) Washers

300 piece kit includes an assortment of M3x12.5, M4x 16, M4x12.5, M5x 16, M5x25, M6x 19, M6x22 & M6x32 Zinc Plated Fender (Penny) Washers.



**\$30**  
PN: HAK13

### Large Fender (Penny) Washers

150 piece kit includes an assortment of M6x25, M8x 19, M8x25, M8x32, M10x25, M10x30, M12x30, M12x40 Zinc Plated Fender (Penny) Washers.



**\$26**  
PN: HAK14

## Wood Fasteners

### Countersunk Pozi Drive Chipboard Screws

400 piece kit includes an assortment of 8 types of countersunk pozi drive chipboard screws ranging from No. 6 (3.5 mm x 16) to No. 10 (4.8 mm x 40).



**\$26**  
PN: HAK22

### Brass Plated Wood Screws

300 piece kit includes an assortment of brass plated CSK flat and round head wood screws ranging from No. 4 (3 mm x 16) to No. 12 (5.5 mm x 50).



**\$41**  
PN: HAK31

## Rivet Kits

### Aluminum Pop Rivets

300 piece kit includes an assortment of AS 40-10, AS 40-12, AS 48-10, AS 48-12, AS 48-15, AS 48-18 Aluminum Pop Rivets and AS 48-10 & AS 48-12 Aluminum White Pop Rivets.



**\$26**  
PN: HAK15

## Gear & Bearing Splitting Combination Set

### Small Bearing Separator

Jaw Range: 30-50 mm  
Working Range: 0-135 mm

### Large Bearing Separator

Jaw Range: 50-75 mm  
Working Range: 0-180 mm

Includes Centre Adapter.

**S45C Drop Forged hardened Main Beam and Bearing Separators.**



**\$195**

PN: GBTK

## Multi-Hydraulic Gear Puller Kit

### Bearing Separator

S45C Drop Forged hardened Bearing Separator.  
Working Range: 0-370 mm  
Jaw Range: 75-105 mm

### Gear Puller

Working Range: 0-185 mm  
Set includes: Twin & Triple Leg Heads  
Hydraulic Ram (12 Ton capacity)  
Carbon Steel Beam  
200 mm, 150 mm, & 100 mm arms  
85 mm, 35 mm, Spacers  
25 mm Centre Adapter



**\$473**

PN: GHPK

## Cross Vices

- Gibbed slide ways for slack adjustment
- Travel locks for repetitive work



### 100 mm Cross Vice

Base: 223 x 130 mm  
Overall height: 133 mm  
Jaw Size: 103 x 34 mm

**\$125**

PN: TV144-4


### 150 mm Cross Vice

Base: 280 x 160 mm  
Overall height: 160 mm  
Jaw Size: 154 x 44 mm

**\$210**

PN: TV144-6

## Drill Press Vices



### 100 mm Drill Press Vice

Base: 177 x 161 mm  
Jaw Size: 101 x 23 mm  
Jaw opening: 100 mm

**\$45**

PN: TV102-4

### 150 mm Drill Press Vice

Base: 238 x 210 mm  
Jaw Size: 150 x 28 mm  
Jaw opening: 150 mm

**\$79**

PN: TV102-6

### 200 mm Drill Press Vice

Base: 348 x 287 mm  
Jaw Size: 200 x 46 mm  
Jaw opening: 200 mm

**\$320**

PN: TV122-8

## Precision Drill Vices

- Hardened prismatic jaws
- Removable pin handle for extra torque



### 100 mm Drill Vice

Jaw Face: 103 x 32 mm  
Jaw opening: 80 mm

**\$229**

PN: GS101-4

### 125 mm Drill Vice

Jaw Face: 130 x 38 mm  
Jaw opening: 110 mm

**\$299**

PN: GS101-5

### 150 mm Drill Vice

Jaw Face: 155 x 38 mm  
Jaw opening: 130 mm

**\$349**

PN: GS101-6

## Welders Vices

Designed to accurately hold same size bar at an accurate 90° angle to each other.



### 60 mm Jaw Opening

**\$119**

PN: TV274

### 100 mm Jaw Opening

**\$159**

PN: TV275

## 3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Set includes  
4-12 mm,  
4-20 mm &  
4-32 mm

**\$165**

PN: G3SD



## Porta

Made in Italy.

## Keyless Drill Chucks

- Suitable for lathes, drilling & milling machines

### 1-13 mm Keyless Drill Chuck

Mount: JT6

**\$125**

PN: POR37J6

### 3-16 mm Keyless Drill Chuck

Mount: JT6

**\$139**

PN: POR40J6



## VERTEX

## Keyed Drill Chucks

### 13 mm Keyed Drill Chucks

Capacity: 1-13 mm  
Outer diameter: 47 mm  
Key Type: T5



JT6 mount PN: CH13JT6  
B16 mount PN: CH13B16

**\$65 EA**

### 16 mm Keyed Drill Chucks

Capacity: 1-16 mm  
Outer diameter: 56 mm  
Key Type: T7



JT3 mount PN: CH16JT3  
JT6 mount PN: CH16JT6  
B16 mount PN: CH16B16  
B18 mount PN: CH16B18

**\$89 EA**

## Drill Chuck Arbors

MT2 x JT6 Arbor  
PN: DCAMT2J6 **\$19**

MT3 x JT6 Arbor  
PN: DCAMT3J6 **\$24**



Made in Taiwan.

JT3, B16 & Threaded Arbors available.

**9 Piece Lathe Tool Set**

12 mm Centre Height includes with replaceable tips and Case.



**\$269**

PN: JM12

Ideal entry level set for parting, chamfering, turning, boring and threading.

**Soluble Cutting Oil**

Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate).

Mix between 5% to 10% with clean tap water.



1 Litre

5 Litres

20 Litres

**\$25**

**\$99**

**\$339**

PN: SOLOIL1

PN: SOLOIL5

PN: SOLOIL20

**Alphanumeric Punch Sets**

36 piece set includes 27 "A" to "Z" plus "&", and 9 Piece 0-8 (6 is used as 9) Hardness: HRC 58-62°



3 mm Punch Set

PN: GYC607-3

**\$51**

4 mm Punch Set

PN: GYC607-4

**\$60**

5 mm Punch Set

PN: GYC607-5

**\$72**

6 mm Punch Set

PN: GYC607-6

**\$95**

8 mm Punch Set

PN: GYC607-8

**\$149**

**Single Line Alphanumeric Punch Sets**

Made from S55C High carbon steel, HRC 58-60°.

100 Piece set includes: 9 Character Type Holder, hex wrench, A-Z, 0-9, &, /, - and blank space.



3 mm Punch Set

PN: GYC610-3

**\$429**

6 mm Punch Set

PN: GYC610-6

**\$559**

**Letter Stamp Sets**

27 piece set includes A-Z plus "&" character Made from CRV (6150).

10 mm Punch Set

12 mm Punch Set

**\$98**

**\$119**

PN: GYC601-10

PN: GYC601-12



**Number Stamp Sets**

9 piece set includes 0 to 8 (6 is used as 9) Made from CRV (6150).



3 mm Punch Set

PN: GYC602-3

**\$25**

4 mm Punch Set

PN: GYC602-4

**\$27**

5 mm Punch Set

PN: GYC602-5

**\$30**

6 mm Punch Set

PN: GYC602-6

**\$36**

8 mm Punch Set

PN: GYC602-8

**\$44**

10 mm Punch Set

PN: GYC602-10


**\$51**

12 mm Punch Set

PN: GYC602-12

**\$72**

**JETON®** Ideal for use with petroleum solvents, lubricants, detergents or brake fluids.  
**Nozzle Kits**



**Magnetic Base Kit with 25 mm Flare Nozzle**

Includes Twenty 1/4" Segments, 1" Flare Nozzle, one 1/4" Male PT connector with Valve

**\$51**

PN: CS88105



**1/4" Assorted Nozzle Kit**

Includes 300 mm of 1/4" hose segments, 1/16", 1/8", 1/4" Nozzles, 1/4" & 1/8" Male threaded PT Connectors

**\$34**

PN: CS82020

**Hose Assembly Pliers**



**1/2" Assorted Nozzle Kit**

Includes 300 mm of 1/2" hose segments, 1/4", 3/8" & 1/2" Nozzles, 3/8" & 1/2" Male threaded PT Connectors

**\$48**

PN: CS84040

1/4" Hose Pliers

PN: CS26171

**\$94**

3/8" Hose Pliers

PN: CS26176

**\$94**

1/2" Hose Pliers

PN: CS26172

**\$100**

**3/8" Nozzle Kit**

Includes 300 mm of 3/8" hose segments, 3/8" Round Nozzle & 3/8" Male PT Connector



**\$37**

PN: CS83030

**Collimated 90° 1/4" Nozzle**

Socket: 1/4" Outlet: 90° 1/4" Spray Bar Nozzle



**\$13**

PN: CS82226

**Collimated 40x1.5 mm Nozzle**

Socket: 1/4" Outlet: 1/4" Swivel Nozzle 60



**\$39**

PN: CS82228

**Magnetic Clean-Up Tools**

**Magnetic Clean-Up Wand**

Capacity: 6.30 Kg Length 400 mm Weight 0.5 kg



**\$79**

PN: MW001

**Magnetic Pickup Tool**

Head diameter: 96 mm Overall length: 960 mm Lifting Capacity: 4.5 kg



**\$99**

PN: MRE001

**Punch Sets**

**Hollow Punch Set**

Set includes: 5, 6, 8, 9, 11 & 13 mm

**\$30**

PN: YC516



**Gasket Punch Set**

14 Piece set includes: 1/4, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1-1/4, 1-3/8 & 1-1/2"



**\$82**

PN: GGPS

## ACCURATE MEASUREMENT



### 100 mm Mini Digital Caliper


PN: AC-114-004-11  
**\$98.00**



- Made of stainless steel
- Meet DIN862

Resolution: 0.01 mm / 0.0005"  
Accuracy:  $\pm 0.02$  mm  
Beam: 13 mm


### 150 mm Digital Plastic Caliper



Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.1$  mm

PN: AC-117-006-11  
**\$39.00**

### Dual Scale Digital Calipers



**USB**  
DATA OUTPUT

#### 150 mm Dual Scale Digital Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm

PN: AC-111-006-12  
**\$89.00**

#### 200 mm Dual Scale Digital Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm

PN: AC-111-008-12  
**\$129.00**

#### 300 mm Dual Scale Digital Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm

PN: AC-111-012-12  
**\$185.00**

### Splash Proof IP54 Dual Scale Digital Calipers



**USB**  
DATA OUTPUT

- Highly accurate glass scale
- USB data output

#### 150 mm Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-111-006-11  
**\$115.00**

#### 200 mm Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-111-008-11  
**\$149.00**

#### 300 mm Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-111-012-11  
**\$219.00**

### Coolant Proof IP67 Dual Scale Digital Calipers



#### 150 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-112-006-12  
**\$229.00**

#### 200 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"


PN: AC-112-008-12  
**\$259.00**

#### 300 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-112-012-12  
**\$349.00**

### IP54 Fractional Imperial Digital Caliper




Resolution: 0.01 mm, 0.005", 1/128"  
Accuracy:  $\pm 0.03$  mm

Display Modes: Fraction Imperial, Decimal Imperial & Metric  
Auto On/Off

PN: AC-113-008-11  
**\$159.00**

### Carbide Tipped Digital Calipers



**USB**  
DATA OUTPUT

#### 150 mm Carbide Tipped Digital Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm

PN: AC-116-006-11  
**\$325.00**

#### 200 mm Carbide Tipped Digital Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm


PN: AC-116-008-11  
**\$395.00**

#### 300 mm Carbide Tipped Digital Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm

PN: AC-116-012-11  
**\$495.00**

### Dual Scale Vernier Calipers



**USB**  
DATA OUTPUT

- Functions: zero point, mm/inch, ABS, data preset
- Measures: Inside, Outside
- USB data output

#### 150 mm Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-120-006-12  
**\$65.00**

#### 200 mm Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-120-008-12  
**\$95.00**

#### 300 mm Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"  
Accuracy:  $\pm 0.04$  mm/0.002"

PN: AC-120-012-12  
**\$155.00**

### Dual Scale Long Series Digital Calipers



#### 600 mm Dual Scale Digital Caliper

Range: Outside 0-620 mm/0-24.5"  
Inside 20-600 mm/0-24"  
Resolution: 0.01 mm/0.005"  
Accuracy:  $\pm 0.05$  mm/0.002"  
Jaw Reach: 100 mm

PN: AC-118-024-11  
**\$569.00**

#### 1000 mm Dual Scale Digital Caliper

Range: Outside 0-1020 mm/0-40.2"  
Inside 20-1000 mm/0-40"  
Resolution: 0.01 mm/0.005"  
Accuracy:  $\pm 0.08$  mm/0.003"  
Jaw Reach: 150 mm

PN: AC-118-040-11  
**\$899.00**

## Digital & Dial Indicators

### 25 MM Dual Scale Digital Indicator

Range: 25.4 MM / 1"  
Resolution: 0.01 MM/0.0005"  
Accuracy: 20 µm



PN: AC-212-025-13  
**\$149.00**

**USB**  
DATA OUTPUT

Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS  
• USB data output  
• Supplied with flat & lug back

### 10 MM Jeweled Metric Dial Indicator

Range: 10 MM  
Graduations: 0.01 MM  
Accuracy: 20 µm



PN: AC-222-010-11  
**\$65.00**

• Limit hands  
• Jeweled bearing  
• 1 mm range per dial revolution  
• Lug back

### Metric Dial Test Indicator

- Anti-magnetic copper body
- 4 & 8 mm Dia clamps.
- Double scale spacing
- Jeweled bearing
- Carbide stylus

Range: 0.8 mm  
Graduation: 0.01 mm  
Accuracy: ±13 µm



PN: AC-261-008-11  
**\$110.00**

## Dial Indicator & Magnetic Stand Kits

### 10 MM Dial Indicator & Magnetic Stand with Fine Adjustment

Stem hole: Ø4 MM, Ø8 MM, 3/8"  
Magnetic Force: 60 kgf  
Graduation: 0.01 MM  
Accuracy: ±20 µm

PN: AC-280-000-02  
**\$149.00**



• Aluminium Case Included

### 1" Inch Dial Indicator & Magnetic Stand with Fine Adjustment

Stem hole: Ø4 MM, Ø8 MM, 3/8"  
Magnetic Force: 60 kgf  
Graduation: 0.001"  
Accuracy: ±20 µm

PN: AC-280-001-02  
**\$149.00**

## Dial Indicator Stands & Accessories

### Magnetic Stand

Stem holes: 8 MM  
Magnetic Force: 60 kgf

PN: AC-281-060-02  
**\$64.00**



### Universal Magnetic Stand

Stem hole: 8 MM  
Height: 395 MM  
Arm Lengths: 340 MM  
Magnetic Force: 80 kgf

PN: AC-282-080-02  
**\$169.00**



### Fine adjustment Magnetic Stand

Stem holes: 8 MM  
Magnetic Force: 60 kgf

PN: AC-281-060-01  
**\$72.00**



### Mini Universal Magnetic Stand

Stem holes: 8 MM  
Height: 231 MM  
Arm length: 192 MM  
Magnetic Force: 40 kgf

PN: AC-286-040-01  
**\$159.00**



### Indicator Centering Mount

Mounts Indicator to chuck to indicate alignment between chuck and cylinders or holes.

PN: AC-269-060-01  
**\$33.00**



### 30 MM Dial Indicator

Graduations: 0.01 MM  
Accuracy: ±35 µm

PN: AC-229-030-11  
**\$125.00**



### 1" Dial Indicator

Graduation: 0.001"  
Accuracy: 20 µm

PN: AC-225-025-11  
**\$65.00**

## Dial Bore Gauges

### 50-160 MM Dial Bore Gauge

Graduations: 0.01 MM  
Accuracy: ±0.018 MM  
Length: 141 MM

PN: AC-251-160-11  
**\$199.00**



### 2-6" Dial Bore Gauge

Resolution: 0.001"  
Accuracy: ±0.00071"  
Length: 5-1/2"

PN: AC-252-060-11  
**\$219.00**

## Depth Micrometers, Indicators & Calipers

### 25 MM Digital Depth Caliper

- USB data output

Resolution: 0.01 MM/0.0005"  
Accuracy: ±0.03 MM

PN: AC-176-001-11  
**\$119.00**



### 200 MM Digital Depth Caliper

Resolution: 0.01 MM / 0.0005"  
Accuracy: ±0.03 MM

PN: AC-171-008-11  
**\$155.00**

### 300 MM Digital Depth Caliper

Resolution: 0.01 MM / 0.0005"  
Accuracy: ±0.04 MM

PN: AC-171-012-11  
**\$345.00**



### 10 MM Dial Depth Indicator

- Stainless steel base
- With needle & ball stylus

Graduation: 0.01 MM  
Accuracy: ±0.03 MM

PN: AC-291-010-11  
**\$199.00**



- Automatic power on/off
- USB Data output

## Digital Level



- Functions as Level or protractor
- Magnetic base

PN: AC-721-180-01  
**\$99.00**

Size: 150 MM x 60 MM x 33 MM  
Accuracy: ±0.1°(vert. and hor.), ±0.2°(other direction)  
Resolution: 0.1°

## Digital Level & Protractor

- Magnetic V-groove Base



PN: AC-722-360-01  
**\$165.00**

Size: 150 MM x 60 MM x 33 MM  
Accuracy: ±0.1°(at 0°/90°/180°/270°) ±0.2°(other direction)  
Resolution: 0.05°

## 600 MM Digital level

- Functions as level or protractor
- Absolute horizon memory
- Back-light Display
- Magnetic base

Units: Degrees, Slope %, mm/m & In/Ft Pitch  
Resolution: 0.1°



PN: AC-725-360-01  
**\$99.00**

## Block Levels



- Sensibility: 0.02 mm / m per division
- 140° Vee Groove

### 150 MM Block Level

Size: 150 x 40 x 45 MM

PN: AC-713-006-02  
**\$249.00**

### 300 MM Block Level

Size: 300 x 40 x 45 MM

PN: AC-713-012-02  
**\$325.00**



### Protractors



#### 100 x 150 MM Protractor

Graduation: 1°  
Range: 10-170°

PN: AC-813-006-01  
**\$68.00**

#### 300 x 600 MM Protractor

Graduation: 1°  
Range: 10-170°

PN: AC-813-024-01  
**\$219.00**

### Combination Square Set

90° or 45° square

90° square accuracy: ±8',  
45° square accuracy: ±10'


Protractor

Range: 0-180°  
Accuracy: ±7'

Circle Centre Finder

Accuracy: ±0.15 MM

Ruler range: 300 MM/12"



PN: AC-817-180-02  
**\$199.00**

### Wide Base Machinist Squares (Grade 2)

#### 100 MM Wide Base Machinist Square

Squareness: (α) 28 μm (β) 30 μm  
Base size: 19H x 12W x 70L MM  
Blade Thickness: 3 MM

PN: AC-845-004-02  
**\$32.00**

#### 150 MM Wide Base Machinist Square

Squareness: (α) 33 (β) 35 μm  
Base size: 25H x 16W x 100L MM  
Blade Thickness: 3 MM

PN: AC-845-006-02  
**\$42.00**

#### 200 MM Wide Base Machinist Square

Squareness: (α) 37 μm (β) 40 μm  
Base size: 32H x 16W x 130L MM  
Blade Thickness: 4 MM

PN: AC-845-008-02  
**\$57.00**

#### 300 MM Wide Base Machinist Square

Squareness: (α) 47 μm (β) 50 μm  
Base size: 32H x 19W x 200L MM  
Blade Thickness: 4 MM

PN: AC-845-012-02  
**\$88.00**

#### 600 MM Wide Base Machinist Square

Squareness: (α) 75 μm (β) 80 μm  
Base size: 50H x 30W x 350L MM  
Blade Thickness: 6 MM

PN: AC-845-024-02  
**\$310.00**



### Dual Scale Stainless Rulers

#### 6" Dual Scale Stainless Ruler

Range: 150 MM / 6"



PN: AC-990-006-11  
**\$9.50**

#### 12" Dual Scale Stainless Ruler

Range: 300 MM / 12"



PN: AC-990-012-11  
**\$16.00**

### Feeler Gauges



#### 200 MM Feeler Gauge 20 Leave Set

Range: 0.05-1.00 MM  
Length: 200 MM

PN: AC-914-100-20  
**\$37.00**

#### 150 MM Feeler Gauge 20 Leave Set

Range: 0.05-1.00 MM  
Length: 150 MM

PN: AC-913-100-20  
**\$30.00**

#### 300 MM Feeler Gauge 20 Leave Set

Range: 0.05-1.00 MM  
Length: 300 MM

PN: AC-915-100-20  
**\$41.00**

### Combination Rulers



#### 200 MM Digital Combination Ruler

Length: 200 MM  
Range: 360°  
Resolution: 0.1°

PN: AC-821-008-01  
**\$89.00**

#### 300 MM Digital Combination Ruler

Length: 300 MM  
Range: 360°  
Resolution: 0.1°

PN: AC-821-012-01  
**\$99.00**

### Angle Finders



#### 150 MM / 180° Angle Finder

Length: 150 MM  
Graduation: 1°  
Accuracy: ±0.3°

PN: AC-812-005-01  
**\$50.00**

#### 200 MM / 180° Angle Finder

Length: 200 MM  
Graduation: 1°  
Accuracy: ±0.3°

PN: AC-812-006-01  
**\$65.00**

#### 300 MM / 180° Angle Finder

Length: 300 MM  
Graduation: 1°  
Accuracy: ±0.3°

PN: AC-812-008-01  
**\$89.00**

#### 500 MM / 180° Angle Finder

Length: 500 MM  
Graduation: 1°  
Accuracy: ±0.3°

PN: AC-812-012-01  
**\$145.00**

### Radius Gauge Sets



• Includes concave & convex Gauge for each size

#### 1-7 MM Radius Gauge Set

Range: 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 MM

PN: AC-941-007-34  
**\$29.00**

#### 7.5-15 MM Radius Gauge Set

Range: 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15 MM

PN: AC-941-015-32  
**\$29.00**

#### 15.5-25 MM Radius Gauge Set

Range: 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25 MM

PN: AC-941-025-30  
**\$29.00**

### Dividers & Calipers



#### 200 MM Inside Spring Caliper

Range: 18-190 MM  
Length: 200 MM

PN: AC-982-008-01  
**\$31.00**

#### 200 MM Spring Divider

Range: 0-190 MM  
Length: 200 MM

PN: AC-985-008-01  
**\$31.00**

#### 200 MM Outside Spring Caliper

Range: 0-190 MM  
Length: 200 MM

PN: AC-984-008-01  
**\$31.00**

#### 300 MM Inside Spring Caliper

Range: 18-290 MM  
Length: 300 MM

PN: AC-982-012-01  
**\$39.00**

#### 300 MM Spring Divider

Range: 0-290 MM  
Length: 300 MM

PN: AC-985-012-01  
**\$39.00**

#### 300 MM Outside Spring Caliper

Range: 0-290 MM  
Length: 300 MM

PN: AC-984-012-01  
**\$39.00**

#### 500 MM Inside Spring Caliper

Range: 25-490 MM  
Length: 500 MM

PN: AC-982-020-01  
**\$65.00**

#### 500 MM Spring Divider

Range: 0-490 MM  
Length: 500 MM

PN: AC-985-020-01  
**\$65.00**

#### 500 MM Outside Spring Caliper

Range: 0-490 MM  
Length: 500 MM

PN: AC-984-020-01  
**\$65.00**



## Metric Outside Micrometers



**IMPERIAL SIZES AVAILABLE**

- Carbide measuring faces
- Setting standard included
- Ratchet stop

### 25 MM Outside Micrometer

Graduation: 0.01 MM  
Accuracy: 4 µm  
Jaw Reach: 29 MM

PN: AC-321-001-01  
**\$49.00**

### 25-50 MM Outside Micrometer

Graduation: 0.01 MM  
Accuracy: 4 µm  
Jaw Reach: 39 MM

PN: AC-321-002-01  
**\$58.00**

### 50-75 MM Outside Micrometer

Graduation: 0.01 MM  
Accuracy: 5 µm  
Jaw Reach: 53 MM

PN: AC-321-003-01  
**\$63.00**

## Micrometer Sets



- Calibration certificate

### 75 MM Micrometer 3 Piece Set

Set of 3 Micrometers  
Range: 0-75 MM  
Graduation: 0.01 MM  
Accuracy: 5 µm

PN: AC-321-003-03  
**\$169.00**

### 150 MM Micrometer 6 Piece Set

Set of 6 Micrometers  
Range: 0-150 MM  
Graduation: 0.01 MM  
Accuracy: 5 µm

PN: AC-321-006-06  
**\$399.00**

### 150-300 MM Micrometer 6 Piece Set

Set of 6 Micrometers  
Range: 150-300 MM  
Graduation: 0.01 MM  
Accuracy: ±7-9 µm

PN: AC-321-012-06  
**\$795.00**

### 6" Micrometer 6 Piece Set

Set of 6 Micrometers  
Range: 0-6"  
Graduation: 0.0001"  
Accuracy: 5 µm

PN: AC-324-006-06  
**\$399.00**

### 6-12" Micrometer 6 Piece Set

Set of 6 Micrometers  
Range: 6-12"  
Graduation: 0.0001"  
Accuracy: 5 µm

PN: AC-324-012-06  
**\$1102**

## Metric Outside Micrometers with Interchangeable Anvils



- Setting standards & extension anvils are included
- Carbide measuring faces
- Ratchet stop

### 0-100 MM Outside Micrometer

Graduation: 0.01 MM  
Accuracy: 5 µm  
Jaw Reach: 57 MM

PN: AC-325-004-01  
**\$349.00**

### 0-150 MM Outside Micrometer

Graduation: 0.01 MM  
Accuracy: 6 µm  
Jaw Reach: 82 MM

PN: AC-325-006-01  
**\$399.00**

### 100-200 MM Outside Micrometer

Graduation: 0.01 MM  
Accuracy: 7 µm  
Jaw Reach: 114 MM

PN: AC-325-008-01  
**\$499.00**

## Coolant Proof Digital Micrometers



- Functions: mm/inch, origin, zero point, ABS, hold
- IP65 protection level
  - Carbide measuring faces
  - Ratchet stop.

### 25 MM Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 0.001 MM  
Accuracy: 3 µm  
Jaw Reach: 25 MM

PN: AC-313-001-02  
**\$210.00**

### 25-50 MM Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 0.001 MM  
Accuracy: 3 µm  
Jaw Reach: 32 MM

PN: AC-313-002-02  
**\$269.00**

## Telescopic Gauge Set

Handle lengths: 115-137 MM  
Gauge sizes: 8-12.7 MM, 12.7-19 MM, 19-32 MM, 32-54 MM, 54-90 MM & 90-150 MM



PN: AC-951-006-01  
**\$59.00**

## 40x Stereo Microscope

Total magnification: 20x / 40x  
Objective magnification: 2x / 4x  
IPD Range: 55-75 MM  
Diopter Range: ± 5 (one eye only)  
Working distance: 57 MM  
Illumination: incident & transmissive



PN: AC-SM40  
**\$765.00**

## Moisture Meter

Temp. Range: -10-60 °C  
Humidity Range: 0.1 °C RH  
Moisture Range: 2-40/50/60/70% (for wood samples)



PN: AC-WMM700  
**\$69.00**

## Infrared Thermometer

Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory

- Adjustable Emission Compensation
- Battery Power Indicator
- Mutable sample capture alarm
- Back-light LCD Display
- 1/4"-20 UNC Tripod Mount
- Laser Sight

Measuring range: -50 to 950 °C  
Accuracy: 1.5% or 1.5 °  
Distance spot ratio: 12:1

PN: AC-IT700  
**\$149.00**



**UPGRADED PERFORMANCE!**  
**-50 to 950°C**

## Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa  
Units: HV, HB, HRC, HRB, HS & tensile strength MPa  
Accuracy: ±8 HLD / 0.8 HRC (HLD=800)  
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1kg (coupled to plate)  
Min. sample thickness: 5 MM  
Min. sample diameter: 22 MM  
Max. sample roughness: 1.61-Jm(Ra)  
Power: 3 x AAA battery  
Dimension: 121 x 68 x 30 MM



PN: AC-HL350  
**\$695.00**

## Digital Rockwell Hardness Tester

- Manual loading control
  - The hardness scale can be converted to HV and HB
  - USB Data Output
- Includes: Ø1.5875 mm ball carbide indenter, Diamond indenter, Flat anvil, V-type anvil, Rockwell test blocks, Dustproof cover.

Load force: 10 kgf (98 N)  
Resolution: 0.1HR  
Test Area: 170H MM x 150W MM  
Total load Capacity: 60 kgf (588 N), 100 kgf (980 N), 150 kgf (1471 N)  
Stage elevation: manual  
Loading control: manual  
Dimension: 466 x 250 x 618 MM



PN: AC-HR150A  
**\$3995**

## Digital Sound Level Meter

- Fast & Slow display functions
- Back-lit LCD
- Continuous & Min/Max functions
- Programmable Exceedence Alarm

Range: 30-130db  
Accuracy: 1.5db  
Resolution: 0.1db  
Power supply: 9V battery  
Weight: 64g

PN: AC-SLM130  
**\$95.00**



## Laser Tachometer

Sampling Range: 50 - 500 MM  
Range: 2.5 - 99,999 RPM  
Resolution: <1K RPM / 0.1 RPM  
>1K RPM / 1 RPM

Accuracy: <1K RPM / (1% / 5d) RPM  
>1K RPM / (1% / 5d) RPM  
Power Supply: 2 x AAA  
Weight: 106 g

PN: AC-LT900  
**\$99.00**



**Made in Europe.**

Morrisflex is an accredited ISO9001 supplier that has over 50 years of history catering for aerospace, automotive and shipbuilding sectors worldwide. Equipped with the latest CNC technology, we aim to produce products of unrivalled quality and consistency, enabling our customers to maximise productivity and reduce costs.


### 1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.


	<b>Size 1</b>	<b>1/4" Head</b>
	<b>Size 3</b>	<b>3/8" Head</b>
	<b>Size 5</b>	<b>1/2" Head</b>
	<b>Size 3x</b>	<b>3/8" Head / 6" Extended Shank</b>

**Non-ferrous & Stainless Carbide Burrs also available.**


#### Cylinder Shape

Size	Length	PN	Price
	2"	CBSA1	<b>\$35</b>
3	2 1/2"	CBSA3	<b>\$50</b>
3x	6 3/4"	CBSA3L6	<b>\$80</b>
5	2 3/4"	CBSA5	<b>\$69</b>


#### Ball Nosed Cone Shape

Size	Length	PN	Price
	2"	CBSL1	<b>\$35</b>
3	3"	CBSL3	<b>\$50</b>
3x	6"	CBSL3L6	<b>\$80</b>
5	3"	CBSL4	<b>\$69</b>


#### Cylinder Shape with End Cut

Size	Length	PN	Price
	2"	CBSB1	<b>\$35</b>
3	2 1/2"	CBSB3	<b>\$50</b>
3x	6"	CBSB3L6	<b>\$80</b>
5	2 3/4"	CBSB5	<b>\$69</b>


#### Cone Shape

Size	Length	PN	Price
	1 7/8"	CBSM1	<b>\$35</b>
3	2 1/2"	CBSM4	<b>\$50</b>
5	2 3/4"	CBSM5	<b>\$69</b>


#### Oval Shape

Size	Length	PN	Price
	2"	CBSE1	<b>\$35</b>
3	2 3/8"	CBSE3	<b>\$50</b>
3x	6 5/8"	CBSE3L6	<b>\$80</b>
5	2 5/8"	CBSE5	<b>\$69</b>


#### Radius Ended Cylinder Shape

Size	Length	PN	Price
	2"	CBSC1	<b>\$35</b>
3	2 1/2"	CBSC3	<b>\$50</b>
3x	6"	CBSC3L6	<b>\$80</b>
5	2 3/4"	CBSC5	<b>\$69</b>


#### Inverted Cone Shape

Size	Length	PN	Price
	2"	CBSN1	<b>\$35</b>
3	2 1/8"	CBSN3	<b>\$50</b>
5	2 1/4"	CBSN5	<b>\$68</b>


#### Ball Nosed Tree Shape

Size	Length	PN	Price
	2"	CBSF1	<b>\$35</b>
3	2 1/2"	CBSF3	<b>\$50</b>
3x	6 3/4"	CBSF3L6	<b>\$80</b>
5	2 3/4"	CBSF5	<b>\$69</b>


#### Ball Shape

Size	Length	PN	Price
	2"	CBSD1	<b>\$35</b>
3	2 1/8"	CBSD3	<b>\$50</b>
3x	6"	CBSD3L6	<b>\$80</b>
5	2 1/4"	CBSD5	<b>\$69</b>


#### 60° Countersink Shape

Size	Length	PN	Price
	2"	CBSJ1	<b>\$35</b>
3	2 1/4"	CBSJ3	<b>\$50</b>
5	2 3/8"	CBSJ5	<b>\$69</b>


#### Pointed Tree Shape

Size	Length	PN	Price
	2"	CBSG1	<b>\$35</b>
3	2 1/2"	CBSG3	<b>\$50</b>
3x	6 3/4"	CBSG3L6	<b>\$80</b>
5	2 3/4"	CBSG5	<b>\$69</b>

#### Flame Shape

Size	Length	PN	Price
	2 3/4"	CBSH1	<b>\$35</b>
3	2 1/2"	CBSH3	<b>\$50</b>
5	3"	CBSH5	<b>\$69</b>

#### 90° Countersink Shape

Size	Length	PN	Price
	2"	CBSK1	<b>\$35</b>
3	2 1/8"	CBSK3	<b>\$50</b>
5	2 1/8"	CBSK5	<b>\$69</b>

### Carbide Burr Sets

**1/8" Head Carbide Burr 10 Piece Set**

Shank Dia: 1/8"



**\$160**  
PN: CBSET10

**3/8" Head Carbide Burr 3 Piece Set**

Shank Dia: 1/4"



**\$128**  
PN: CBSET3

**1/4" & 3/8" Head Burr 8 Piece Set**

Shank Dia: 1/4"



**\$268**  
PN: CBSET8

**1/2" Head Carbide Burr 5 Piece Set**

Shank Dia: 1/4"



**\$288**  
PN: CBSET5

**3/8" Head Non-ferrous Burr 3 Piece Set**

Shank Dia: 1/4"



**\$148**  
PN: CBSET3NF

**3/8" Head Stainless Burr 3 Piece Set**

Shank Dia: 1/4"



**\$163**  
PN: CBSET3INOX

**6 mm Heavy Duty Quick Release Deburrer**

**\$33**

PN: GDSRSDMKK

- Removable cap for blade storage
- 6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with
- 6 mm General Purpose Blade (GDSR10S).



**Ergonomic Deburring Tool & Blade Set**

Quick Release Handle with 10 assorted 3.2 mm blades. Storage for blades in handle.

Set Includes: 3.2 mm Standard Quick Release Handle (GDSRSDMK)

Standard 3.2 mm Deburring blades:  
2 x GDSC10, 2 x GDSC101,  
2 x GDSC15, 2 x GDSC20,  
1 x GDSC30, 1 x GDSC35



**\$41**

PN: GD38040

**Hex Key Sets**

**Metric 9 Piece Ball End Hex Key Set**

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm

**Imperial (SAE) 13 Piece Ball End Hex Key Set**

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"

**13 Piece Torx® Wrench Set**

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H & T50H

**13 Piece Tamper-Proof Torx® Wrench Set**

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H & T50H



**\$35**

PN: GXHK9M

**\$37**

PN: GXHK131

**\$39**

PN: GXTX13

**\$39**

PN: GXTP13

**Riveting Tool**

**Riveting Tool**

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets

**\$49**

PN: GHTJ701



**Heavy Duty Riveting Tool**

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



**\$89**

PN: GHTT620

**Rivet & Nutsert Tool**

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.

- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts



**\$119**

PN: GHTJ703A

**Heavy Duty Rivet & Nutsert Tool**

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8
- Space-Saving Foldable Handles
- Forged Main Arms

Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4 mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts



**\$199**

PN: GHTH3

**Pistol Grip Nutsert Tools**

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch

**M6 Nutsert Tool**

Free Speed: 360 RPM  
Weight: 1.3 Kg  
M3, M4, M5, M8 & M10 mandrels available (sold separately)  
PN: GP400B

**M8 Nutsert Tool**

Free Speed: 200 RPM  
Weight: 1.3 Kg  
M10 & M12 mandrels available (sold separately)  
PN: GP200B



**\$699 EA**

**Steel & Aluminium Nutserts**

Max. sheet thickness: 4 mm



**PACKS OF 50**

M4 Aluminium PN: NM4RNA	<b>\$29</b>	M4 Steel PN: NM4PNS	<b>\$18</b>
M5 Aluminium PN: NM5RNA	<b>\$37</b>	M5 Steel PN: NM5PNS	<b>\$19</b>
M6 Aluminium PN: NM6RNA	<b>\$40</b>	M6 Steel PN: NM6PNS	<b>\$22</b>
M8 Aluminium PN: NM8RNA	<b>\$46</b>	M8 Steel PN: NM8PNS	<b>\$29</b>
M10 Aluminium PN: NM10RNA	<b>\$54</b>	M10 Steel PN: NM10PNS	<b>\$36</b>

**Air/Hydraulic Nutsert Gun**

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set available



Traction Power: 3,640 Ft/lbs  
Stroke: 6 mm  
Weight: 1.55 Kg

**\$990**

PN: KP4253



**Q1 mini 120 Lm**



**\$45**

PN: SBQ1MINI

1xAAA 60m 38g 10-70°

BRIGHTNESS 120 - 30 Lm  
ENDURANCE 1h 30m - 5h

**Q1 160 Lm**



**\$69**

PN: SBQ1

2xAAA 70m 56g 10-70°

BRIGHTNESS 160 - 40 Lm  
ENDURANCE 4 - 10 h

**Q2 200 Lm**



**\$79**

PN: SBQ2

1xAAA 150m 80g 10-70°

BRIGHTNESS 200 - 40 Lm  
ENDURANCE 2 - 5 h

**Q2r 450 Lm**



**\$129**

PN: SBQ2R

Li-Ion 175m 67g 10-70°

BRIGHTNESS 450 - 6 Lm  
ENDURANCE 1h 15m - 70h

**Q3 classic 330 Lm**

**IPx8 1 Meter WATERPROOF**



**\$89**

PN: SBQ3classic

3xAAA 210m 96g 10°

BRIGHTNESS 330 Lm  
ENDURANCE 20 h

**Q3r 500 Lm**



**\$129**

PN: SBQ3r

Li-Ion 245m 139g 10-70°

BRIGHTNESS 500 - 15 Lm  
ENDURANCE 3 - 89 h

**Q4 400 Lm**



**\$129**

PN: SBQ4

3xAAA 200m 152g 10-70°

BRIGHTNESS 400 - 8 Lm  
ENDURANCE 2 - 80 h

**Q4xr 800 Lm**



**\$199**

PN: SBQ4XR

Li-Ion 250m 132g 10-70°

BRIGHTNESS 800 - 50 Lm  
ENDURANCE 2 - 24 h

**M6xr 2000 LUMENS!**



**MAGNETIC BASE!**

**\$199**

PN: SBM6XR

Li-Ion 165m 114g 30-70°

BRIGHTNESS 2000-40 Lm  
ENDURANCE 2 - 260h

**Q7xr 1000 Lumens**



**2x Batteries Included!**

**\$259**

PN: SBQ7xr

2xLi-Ion 345m 307g 10-75°

BRIGHTNESS 1000-50 Lm  
ENDURANCE 2h 45m - 37

**Q7xrs 2000 LUMENS!**



**2x Batteries Included!**

**\$299**

PN: SBQ7xrs

2xLi-Ion 345m 307g 15-75°

BRIGHTNESS 2000 - 6 Lm  
ENDURANCE 2 - 500 h

Both the **SBQ4xr** & **SBQ7xrs** torches come in a durable plastic case with a Professional Quality Pouch with Velcro & Press Stud Strap, 100-240 VAC Adaptor with USB cable and external ICR Charger.



**V3 air 340 Lumens**



**\$79**

PN: SBV3air

2xAAA 195m 140g 10-70°

BRIGHTNESS 340 - 6 Lm  
ENDURANCE 3h 30m - 80

**V3 airR 360 Lumens**



**\$139**

PN: SBV3airR

Li-Po 210m 148g 10-70°

BRIGHTNESS 360 - 8 Lm  
ENDURANCE 1h 45m - 80

**V3 proR 500 Lumens**



**\$199**

PN: SBV3proR

Li-Po 245m 184g 10-70°

BRIGHTNESS 500 - 10 Lm  
ENDURANCE 3 - 100h

**V4 proR 850 Lumens**



**\$259**

PN: SBV4proR

Li-Po 250m 195g 10-30°

BRIGHTNESS 850 - 12 Lm  
ENDURANCE 1h 45m - 100

## SG420 Gravity Feed Air Brush



**\$119**  
PN: SG420A

Nozzle: 0.2 mm  
Working Pressure: 14-50 PSI  
Fluid Capacity: 7 cc  
Weight: 280 g

## K320 Mini Gravity Feed Spray Gun



Working Pressure: 30-45 PSI  
Fluid Capacity: 125 cc  
Weight: 280 g

0.8 mm Nozzle PN: K320M08  
1.2 mm Nozzle PN: K320M12

**\$169 EA**

## K818 Gravity Feed Spray Gun



**\$239 EA**

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI  
Fluid Capacity: 600 cc  
Weight: 280 g

1.3 mm Nozzle PN: K818M13  
1.4 mm Nozzle PN: K818M14  
1.8 mm Nozzle PN: K818M18  
2.5 mm Nozzle PN: K818M25

## K818 Pressure Feed Spray Gun Systems



## KH818 HVLP Gravity Feed Spray Gun



**\$259 EA**

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI  
Fluid Capacity: 600 cc  
Weight: 514 g

1.3 mm Nozzle PN: KH818M13  
1.4 mm Nozzle PN: KH818M14  
1.8 mm Nozzle PN: KH818M18

## 2 Litre Pressure Feed Spray Gun System

- Features:
- 3 meter hose
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Tank handle/hanger

**2 Litre Pressure Feed Tank**  
Tank dimensions:  
130L MM x 130W MM x 445H MM  
Capacity: 2 Litre  
Max. pressure: 60 PSI  
Weight total: 2.15 kg

1.2 mm Nozzle PN: PW2LTRK12  
1.5 mm Nozzle PN: PW2LTRK15  
1.8 mm Nozzle PN: PW2LTRK18  
2.0 mm Nozzle PN: PW2LTRK20  
2.5 mm Nozzle PN: PW2LTRK25

**\$455 EA**

## K818 Suction Feed Spray Gun



**\$239 EA**

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI  
Fluid Capacity: 1000 cc  
Weight: 514 g

1.3 mm Nozzle PN: K818S13  
1.8 mm Nozzle PN: K818S18  
2.0 mm Nozzle PN: K818S20  
2.5 mm Nozzle PN: K818S25

## 10 Litre Pressure Feed Spray Gun System

- Features:
- 3 meter hose
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Tank handle/hanger

**10 Litre Pressure Feed Tank**  
Tank dimensions:  
315L MM x 315W MM x 485H MM  
Capacity: 10 Litre  
Max. pressure: 60 PSI  
Weight total: 10.1 kg

1.2 mm Nozzle PN: PW10LTRK12  
1.5 mm Nozzle PN: PW10LTRK15  
1.8 mm Nozzle PN: PW10LTRK18  
2.0 mm Nozzle PN: PW10LTRK20  
2.5 mm Nozzle PN: PW10LTRK25

**\$669 EA**

## KH818 HVLP Suction Feed Spray Gun



**\$259**  
PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI  
Fluid Capacity: 1000 cc  
Weight: 514 g  
Nozzle: 1.8 mm S-Steel

## 20 Litre Pressure Feed Spray Tank System

- Features:
- 10 meter hose
  - Stainless Steel Liner
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Manual Agitation

**K818 Pressure Feed 20 Litre Pressure Feed Tank**  
Tank dimensions:  
400L MM x 400W MM x 780H MM  
Capacity: 20 Litre  
Max. pressure: 60 PSI  
Weight total: 26 kg

1.2 mm Nozzle PN: PW20LTRK12  
1.5 mm Nozzle PN: PW20LTRK15  
1.8 mm Nozzle PN: PW20LTRK18  
2.0 mm Nozzle PN: PW20LTRK20  
2.5 mm Nozzle PN: PW20LTRK25

**\$1295 EA**

## 1/2" Ratchet Wrench

Max Torque: 70 Ft/lbs  
Free speed: 160 RPM  
Length: 308 MM  
Weight: 1.3 Kg

**LONGER LIFE!**

Advanced & dovetail head design provides considerably longer life.



**\$195**

PN: BRP207B1

## 1/2" Gearless Angle Impact Wrench

Torque: 290 Ft-lbs  
Free Speed: 8,500 RPM  
Length: 245 MM  
Weight: 1.3kg

**VERSATILE DESIGN!**

- 8 position swivel trigger
- 70 MM head height

- Extended service life due to direct drive design
- 8 position swivel trigger
- 70 MM head height



**HOT PRICE!** **\$269**

PN: BJH220B2

## 1/4" Right Angle Die Grinder

- Light weight composite housing

Free Speed: 18,000 RPM  
Length: 183 MM  
Weight: 0.8 Kg



**\$199**

PN: BG220RA1

## 1/4" Die Grinder

Free Speed: 20,000 RPM  
Length: 165 MM  
Weight : 0.55Kg



**\$175**

PN: BG210R

## Extended 1/4" Die Grinder



Free Speed: 21,000 RPM  
Length: 280 MM  
Weight: 0.80 Kg

**\$199**

PN: BG215RA1

## 1/4" Die Grinder



Free Speed: 21,000 RPM  
Length: 188 MM  
Weight: 0.8 Kg

**\$129**

PN: BGT1A1

## 3" Cutting Discs

Ø75 x 0.8 x Ø9.53 mm  
Speed Rated to 25,000 RPM



**\$22**

PN: C0007K

## 6" Random Orbital Sander

Orbit Diameter: 5 MM  
Spindle: 5/16"x24 UNF  
Free Speed: 12,000 RPM  
Weight: 0.99 Kg



**\$259**

PN: BOS156A1

## 6" Random Orbital Dust-Free Sander

Orbit Diameter: 5 MM  
Free Speed: 12,000 RPM  
Spindle: 5/16 x 24 UNF  
Weight: 0.99 Kg



**\$279**

PN: BOS156SA1

## 6" Velcro Pad

Thread: 5/16" UNC Male  
Max Speed: 12,000 RPM

**\$38**

PN: F6505

## 6" Dust Free Velcro Pad

Thread: 5/16" UNC Male  
Max Speed: 12,000 RPM

**\$41**

PN: F6565



## 8" Geared Sander

Orbit Diameter: 5 MM  
Pad mount: 5 hole  
Free Speed: 900 RPM  
Weight: 1.88 kg



**\$495**

PN: BOS253GR-D1

## 8" Geared Central Vacuum Sander

Orbit Diameter: 5 MM  
Pad mount: 5 hole  
Free Speed: 900 RPM  
Weight: 2.05 Kg



**\$495**

PN: BOS253GRC-D1

## Heavy Duty Air Hammer Kit

- Integrated piston cushion design for lower vibration and less operator fatigue
- Includes Air Hammer, 5 chisels & Quick Change Spring Retainer in blow-mount case
- T handle design for better tool balance

Chisel shank: 10.2 MM  
Impact Rate: 2,900 bpm  
Weight: 1.73 Kg

**\$249**

PN: BHAG7A1



## Nail Gun Oil

Basso Premium Nail Gun Oil is formulated to prolong the performance of your Basso nail gun in both warm and cold climates. Adding only a couple of drops daily to the air inlet will greatly reduce internal wear and maintain the integrity of the gaskets and seals.

250 ml Bottle **\$9.90**  
PN: B0250

1 Litre Bottle **\$18**  
PN: B01000



## 32 MM C1 Series Bradder

Shank: 1x1.25 MM (18 Gauge)  
Nail Length: 10-32 MM  
Capacity: 100 brads  
Weight: 0.68 kg

**Compact & Powerful!**

Suits medium density timbers & some hardwoods.  
Features swivel exhaust & aiming sight.



**\$159**

PN: B1632PA2

## Medium Duty C Brad Nailer

Shank: 1.4x1.6 MM (16 gauge)  
Nail Length: 19-50 MM  
Capacity: 100 brads  
Weight: 1.54 kg



**\$249**

PN: B1650LA1

## Heavy Duty C Brad Nailer

Shank: 1.4x1.6 MM (16 Gauge)  
Nail Length: 19-50 MM  
Capacity: 100 nails  
Weight: 1.9 kg



**\$299**

PN: B1650B1

## 50 MM C1 Series Bradder

Shank: 1x1.25 MM (18 Gauge)  
Nail Length: 15-50 MM  
Capacity: 100 brads  
Weight: 1.25 kg



**\$199**

PN: B1850A1

## 80 Series Stapler

Staple Crown: 12.8 MM (80 Series)  
Staple Length: 6-16 MM  
Capacity: 100 Staples  
Weight: 0.90 kg



**\$159**

PN: BN8016E

## 97 Series Stapler

Staple Crown: 4.5 MM (97 Series)  
Staple Length: 10-25 MM  
Capacity: 142 staples  
Weight: 1.2Kg



**\$201**

PN: BS9725B1

## 6000 / L Series Heavy Duty Stapler

Staple Crown: 5.8 MM (6000/L Series)  
Staple Length: 13-40 MM  
Capacity: 160 staples  
Weight: 1.7Kg



**\$299**

PN: B9040A1

## T-Nailers

Nail Length: 18-64 mm  
Capacity: 80 nails  
Weight: 2.55 kg

Shank: 2.2 mm PN: BT2264A1  
Shank: 2.5 mm PN: BT2564A1



**\$439 EA**

## 34° DA Nailer

Shank: 1.8 MM (15 Gauge)  
Nail Length: 25-64 MM  
Capacity: 100 Nails  
Weight: 1.95kg

- Swivel exhaust
- Depth adjustment
- Angled air inlet



**\$299**

PN: BA3464A1

## Heavy Duty Coil Nailers

Shank: 2.03-2.8 MM  
Nail Length: 32-65 MM  
Capacity: 200-400 nails  
Weight: 2.3 kg

0° Angle PN: BC2865F1  
15° Angle PN: BC2865D1



**\$559 EA**

## 90 MM Angle Framing Gun

- Easy to use Depth Adjuster
- Adjustable Joist Hanger
- Protective cover on safety
- Single & Bump Fire modes

Shank: 2.9-3.3 MM  
Nail Length: 50-90 MM  
Capacity: 90 nails  
Weight: 3.50 kg



**\$469**

PN: BA3490F1

**Blowguns**

**Pocket Blow Gun**

- Integrated metal inlet thread
- Rubber Tip



**\$12**  
PN: PBC-M

Length: 115 MM  
Inlet: JIS Fitting  
Material: Aluminium

**4" Rubber Tipped Blowgun**

- Integrated metal inlet thread
- Rubber Tip



Length: 110 MM  
Material: POM/Steel

**\$18**  
PN: GP1562

**Integrated Air Gun**

- 1/4" steel inlet
- 2m fitted hose



**\$49**  
PN: GPB90K

**3/8" High Flow Blow Gun Kit**

- Kit includes:  
High Flow Duster,  
Easily Adjustable High Flow Nozzle, Heavy Duty High Flow Nozzle & Standard Nozzle.



**\$52**  
PN: GHF0AS

**ALL METAL BODY!**

**Extendable Blow Gun**

Length: 270 to 390 MM  
Material: POM/Steel



- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring.

**\$28**  
PN: GP1562E

**1 Metre Blow Gun**

Overall Length: 1050 MM  
Inlet: 1/4" metal  
Material: POM / Aluminium

- Durable all metal construction
- Foam grip



**ALL METAL BODY!**

**\$56**  
PN: GP1561

**Grease & Caulking Guns**

**Air & Manual Grease Gun**

**\$129**  
PN: GP1081D



- Takes standard 500 cc cartridge

Kit includes one cannister, manual & pneumatic heads

**Air Caulking Gun**

• Aluminium body  
Cartridge Size: 310 CC  
Pressure Range: 45-90 PSI  
Weight: 1.3 kg



**\$85**  
PN: GP203

**Hammering Tools**

**Air Hammer Kit**

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.



Free Speed: 3,000 BPM  
Stroke Length: 19.05 MM  
Shank Size: 10.2 MM  
Weight: 1.70 kg

**\$115**  
PN: GP102KD

**Needle Scaler**

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 MM needles

Stroke Length : 33 MM  
Impact Rate: 4,600 BPM  
Overall length: 420 MM  
Weight: 2.8 kg



**\$325**  
PN: GP201

**Set of 2 Spring Retainers**

- Suits 10.2 mm round chisels



**\$16**  
PN: GPA70X2

**Needle Scaler Attachment**

- Replacement needles available
- Converts most standard air hammers to needle scalers



Needle Array: 19 Needles  
Needle size: 3 x 180 MM  
PN: GP60012

**38 MM Flattening Hammer**



**\$41**  
PN: HAC-100

**Tyre Inflators**

**Deluxe Tyre Inflator**

Range: 0-160 PSI  
Units: PSI, KPA



**\$99**  
PN: GPA6200

**Flexible Tyre Chuck**

Inlet: JIS standard fitting  
Output: Schrader Valve



**\$20**  
PN: GPATC-2

**Dual Access Tyre Water Chuck**

- Perfect for adding ballast water to tractor tyres  
Inlet: 15 mm Garden Hose Coupling  
Output: Schrader Valve x 2



**Ideal for Tractors!**

**\$31**  
PN: GPA1570W

**Dual Access Tyre Chuck**

Inlet: 1/4" Female Thread  
Output: Schrader Valve x 2



**Ideal for Trucks!**

**\$28**  
PN: GPA1570

**All-In-One Sandblaster**

- Light weight all in one design
- Ideal for spot and rust removal on small areas

Nozzle Size: 5.2 MM  
Capacity: 266cc



**\$59**  
PN: GPASB100



## Air-Hydraulic Riveters

### 3/16" Air-Hydraulic Rivet Gun

Rivet Capacity: 3/32, 1/8, 5/32, 3/16"  
Traction Power: 1950 lbs  
Weight: 1.5 Kg



**\$265**  
PN: GP1121D

### 9/32" Air-Hydraulic Riveter

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity: 3/16", 1/4", 5/32" & 9/32"  
Traction Power: 3,120 Ft/lbs  
Weight: 3.4 Kg



**SUITABLE FOR STAINLESS RIVETS!**

**\$690**  
PN: GP6304

## 3" In-Line Cut Off Grinder

- Ergonomic design features, Spindle lock button, Rear exhaust & Adjustable guard

Disc Size: 3" (75 mm)  
Free Speed: 18,000 RPM  
Weight: 0.8kg



**Includes 3" Cut-Off Disc!**

**\$185**  
PN: GP3203

## 7" Sanders & Polishers



### 7" Disc Sander

PN: GP1206A

Free Speed: 4,500 RPM  
Spindle: Male 5/8-11UNC  
Avg Air Cons.: 12 CFM  
Weight: 2.6 Kg

### 7" Angle Polisher

PN: GP1206P

Free Speed: 2,500 RPM  
Spindle: Male 5/8-11UNC  
Avg Air Cons.: 12 CFM  
Weight: 2.6 Kg

Velcro Backing Pads to suit on page 23.

**\$299 EA**

## Air Body Saw

Capacity: 3 mm mild steel  
Stroke length 9.5 mm  
Free Speed: 10,000 opm



**\$210**  
PN: GP9301

## Quality Bi-metal Blades

18 TPI Pack of 5

PN: PT301A18

24 TPI Pack of 5

PN: PT301A24

32 TPI Pack of 5

PN: PT301A32



**\$26 EA**

## Heavy Duty Angle Grinders



### 4" Heavy Duty Angle Grinder

Spindle Size: M10 x 1.5  
Free Speed: 11,000 RPM  
Weight: 1.95 Kg

**\$289**  
PN: GP8102

### 5" Heavy Duty Angle Grinder

Spindle Size: M14 x 2.0  
Free Speed: 11,000 RPM  
Weight: 1.95 Kg

**\$325**  
PN: GP8103

## Surface Preparation

### Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes: five 105 MM (4 inch) stripping wheels, Spare disc hub & carry case.



**\$645**  
PN: GP2001A

### 6" Dual Action Sander

Pad Size: 6" (150 mm) Velcro  
Free Speed: 9,000 RPM  
Orbit Diameter: 7 mm  
Weight: 2.0 Kg



**\$149**  
PN: GP1205N

### 5" Disc Sander

Includes 3", 4-1/2" & 5" fibre pads, for 22 mm hole abrasives, thread adapter for 50 mm pad & 50 mm abrasive pads

Spindle Size: 3/8 x 24 UNF  
Free Speed: 16,000 RPM  
Weight: 1.2 Kg

**\$139**  
PN: GP1204R



### 10 mm Belt Sander

Belt Size: 10 x 330 mm

**\$229**  
PN: GP1264A

### 20 mm Belt Sander

Belt Size: 20 x 520 mm

**\$360**  
PN: GP1265A



### Straight Line Sander

- Takes 70 x 445 mm clip on paper.
- Ideal for flat panel automotive work.

Pad Size: 397 x 68 mm  
Free Speed: 2,500 RPM  
Weight: 2.5 Kg



**\$199**  
PN: GP1203

**1/4" Medium Die Grinder**

Collet Size: 1/4"  
Free Speed: 22,000 RPM  
Weight: 0.675 Kg



**\$79**

PN: GP2202

**1/4" Angle Die Grinder**

Collet Size: 1/4"  
Free Speed: 18,000 RPM  
Weight: 0.833 Kg



**\$159**

PN: GP2203R

**1/4" Die Grinder**

- Supplied with 1/4" Collet, 1/8", 3 mm & 6 mm collets also available
- Front exhaust



Free Speed : 20,000 RPM  
Collet Size : 1/4"  
Weight : 0.35kg

**\$65**

PN: GP2201

**Engraving Stylus**

- Medium point stylus included
- Fine & wide point stylus also available

Inlet: 1/4" Male thread  
Hose Length: 1.43 m  
Weight: 0.40 kg



**\$265**

PN: GP110

**1/8" Micro Die Grinder Kit**



**\$199**

PN: GP2204K

Free Speed: 55,000 RPM  
Includes 10 grinding stones

**Rotary Tool Kit**

206 Piece set includes, diamond & HSS cutters & twist drills, grinding, cloth, felt, emery & flap wheels, rotary brushes, sanding & cut off discs, polishing compound & dressing stone



**\$69**

PN: RTK206

**Heavy Duty Ratchet Wrenches**



• Front exhaust  
Max Torque: 75 ft/lbs  
Free Speed: 200 RPM  
Weight : 1.2 Kg

**3/8" Drive PN: GP5203**

**1/2" Drive PN: GP5204**

**\$159 ea**

**Impact Wrenches**



**\$275**

PN: GP260T

**1/2" Impact Wrench**

Max Torque: 500 Ft/lbs  
Nett Weight: 2.0 Kg



**\$599**

PN: GP3125

**3/4" Impact Wrench**

Max Torque: 1100 Ft/lbs  
Nett Weight: 3.48 Kg

**Gravity Feed Engine Cleaning Gun**

Bowl capacity: 700 cc  
Length: 410 mm



**\$80**

PN: GPA034

**Engine Cleaning Gun**

- 1.2m feed hose with built in strainer
- Flow rate control
- Adjustable nozzle

Hose Length: 1.2 m  
Length: 405 mm



**\$47**

PN: GPA1565

**Reversible Drills**

**Reversible 3/8" Drill**

Free Speed: 1,800 RPM  
Chuck Size: 3/8" (10 mm)  
Weight : 1.36 Kg



**\$149**

PN: GP41013

**Reversible 3/8" Keyless Drill**

Free Speed: 1,800 RPM  
Chuck Size: 3/8" (10 mm) Keyless  
Weight : 1.36 Kg



**\$175**

PN: GP41013K

**1/2" Reversible Drill**

Free Speed: 800 RPM  
Drilling Capacity: 13 mm (1/2")  
Weight : 1.76kg



**\$219**

PN: GP4204

**3/8" Reversible Angle Drill**

- Forward / Reverse Free Speed: 1500 RPM
- Toggle Switch Capacity: 10 mm (3/8")
- Rear exhaust Weight: 1.02kg



**\$259**

PN: GP4209

## Two Speed Air Sander

- Includes 50 mm & 75 mm Quick-Lock Backing Pads
- Side mounted speed regulator

**\$165**

PN: KP6712



**Extra 2" Pad**

Free Speed: 15,000 RPM  
Weight: 0.45 Kg

## Compact Needle Scaler



Impact Rate: 3,700 BPM  
Overall Length: 350 mm  
12 Needles Ø3 x 125 mm

**\$239**

PN: KP4714

## Pittsburgh Air Hammer



Impact Rate: 4,200 BPM  
Stroke: 50 mm  
Weight: 2.20 Kg

**\$235**

PN: KP4711PN

## 1/2" Compact Impact Wrench

Free Speed: 9,500 RPM  
Max. Torque: 500 Ft/lbs  
Weight: 1.65 Kg

**97 mm Head**

**\$295**

PN: KP1479



## 1/2" Impact Wrench



Free Speed: 9,500 RPM  
Max Torque: 1,000 Ft/lbs  
Weight 2.30 Kg

**\$299**

PN: KP1438

## 3/4" Impact Wrench



Free Speed: 6,500 RPM  
Max Torque: 750 Ft/lbs  
Nett Weight: 4.55 Kg

**\$599**

PN: KP1023

**6" Extended Anvils Available.**

## 3" Orbital Pistol Grip Sander

- Handle Exhaust with integrated muffler
- Side mounted speed regulator

**\$210**

PN: KP6628



Free Speed: 15,000 RPM  
Spindle: 5/16x24unc  
Orbital Dia.: 1.5 mm

## Pistol Grip Needle Scaler



Impact Rate: 3,700 BPM  
Overall Length: 350 mm  
19 Needles Ø3 x 180 mm

**\$359**

PN: KP4722P

## Heavy Duty Air Scaling Hammer



- Detachable side handle (included)
- Replaceable carbide tipped cutter

**\$769**

PN: KP4738

Impact Rate: 2400 BPM  
Piston Stroke: 26 mm  
Length: 550 mm  
Weight: 4.45 Kg

## 3" Dual Mode Orbital Sander

- Includes 75 Velcro Pad
- Side mounted speed regulator

**Dual Mode**  
Quickly switch between Rotary & Orbital Sanding

**\$225**

PN: KP6635



Free Speed: Hi - 6000 RPM  
Spindle: 5/16 x 24 UNC  
Orbital Dia.: 1.5 mm  
Weight: 0.58 Kg

## 4" Heavy Duty Extended Cut Off Tool

- Ideal for hard to access cutting exhaust pipes, body panels

**\$389**

PN: KP4418

Free Speed: 14,000 RPM  
Length: 345 mm  
Output: 745 Watt  
Weight: 1.40 Kg



## Heavy Duty Air Caulking Gun



**\$236**

PN: KP4618

Takes 50 mm diameter sausages  
400, 500 & 600 ml sizes.  
Air pressure: 45-90 PSI  
Length: 550 mm  
Weight: 0.9 Kg

## 1/2" Compact Impact Wrench

Free Speed: 9,500 RPM  
Max. Torque: 500 Ft/lbs  
Weight: 1.65 Kg

**97 mm Head**

**\$295**

PN: KP1479



## 1/2" Impact Wrench



Free Speed: 9,500 RPM  
Max Torque: 1,000 Ft/lbs  
Weight 2.30 Kg

**\$299**

PN: KP1438

## 1" Super Duty Impact Wrench



Free Speed: 5,000 RPM  
Max. Torque: 1,800 Ft/lbs  
Weight: 7.10 Kg

**\$1235**

PN: KP1838A-P

## Super Duty Impact Wrenches

Free Speed: 5,500 RPM  
Max. Torque: 1,600 Ft/lbs  
Air Inlet: 1/2"



**3/4" Drive**

**\$995**

PN: KP1635

**1" Drive**

**\$1199**

PN: KP1835

## 3/4" Heavy Duty Impact Wrench



Free Speed: 5,500 RPM  
Max Torque: 1100 Ft/lbs  
Nett Weight: 5.6 Kg


**\$875**

PN: KP1030

## 1" HD Impact Wrench

- Rubber body protection
- 4 power settings with forward & reverse selector
- Side handle

Free Speed: 3,500 RPM  
Max. Torque: 2,500 Ft/lbs  
Length: 436 mm  
Air Inlet: 1/2"  
Weight: 15.55 Kg



**\$2155**

PN: KP1045

**1.5" Variant**  
PN: KP1050 \$2575

## In-line Components

**1/4" In-line Water Separator**  
 Max Press.: 90 PSI  
 1/4" NPT Female to Male



**\$28**

PN: GPA1512

**1/4" In-line Lubricator**  
 1/4" NPT Female to Male  
 Capacity: 15 mL



**\$25**

PN: GPA1025

**1/4" Mini Filter Regulator**

Max Input Press.: 280 PSI  
 Output Press.: 7-142 PSI  
 Units: PSI, kg/cm<sup>2</sup>  
 Max Flow: 38.85 CFM  
 Drain Capacity: 15 mL  
 Filter Element: 5 µm



**\$65**

PN: THBFR212

**1/4" Mini Filter Regulator Lubricator**

Max Input Press.: 150 PSI  
 Output Press.: 7-142 PSI  
 Units: PSI, kg/cm<sup>2</sup>  
 Max Flow: 38.85 CFM  
 Drain Capacity: 15 mL  
 Oil Capacity: 30 mL  
 Filter Element: 5 µm



**\$65**

PN: THBC202

**SUPER COMPACT**  
 1/4" x 1/8" x 1/2"

## Regulators



**1/4" Regulator**

Max Input Press.: 150 PSI  
 Output Press.: 7-142 PSI  
 Units: PSI, kg/cm<sup>2</sup>  
 Max Flow: 38.85 CFM

**\$41**

PN: THBR202

**1/2" Regulator**

Max Input Press.: 215 PSI  
 Output Press.: 7-150 PSI  
 Units: PSI, kg/cm<sup>2</sup>  
 Max Flow: 105.94 CFM

**\$51**

PN: THBR304

**3/4" Regulator**

Max Input Press.: 250 PSI  
 Output Press.: 7-225 PSI  
 Units: PSI, kg/cm<sup>2</sup>  
 Max Flow: 162.45 CFM

**\$144**

PN: THBR906

**1" Regulator**

Max Input Press.: 250 PSI  
 Output Press.: 7-225 PSI  
 Units: PSI, kg/cm<sup>2</sup>  
 Max Flow: 183.64 CFM

**\$144**

PN: THBR908

## Filter Regulator Lubricators

Max Input Press.: 215 PSI  
 Output Press.: 7-150 PSI  
 Units: PSI, kg/cm<sup>2</sup>  
 Oil Capacity: 125 mL  
 Filter Element: 5 µm

Port Size: 1/4" NPT  
 Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT  
 Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT  
 Max Flow: 105.94 CFM

PN: THBFLR804



**\$99 EA**

## Filter Regulators

Max Input Press.: 215 PSI  
 Output Press.: 7-150 PSI  
 Units: PSI, kg/cm<sup>2</sup>  
 Drain Capacity: 80 mL  
 Filter Element: 5 µm

Port Size: 1/4" NPT  
 Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT  
 Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT  
 Max Flow: 105.94 CFM

PN: THBFR804



**\$61 EA**

**3/4" Hi-Flow Filter Regulator**

Max Input Press.: 250 PSI  
 Output Press.: 7-142 PSI  
 Units: PSI, kg/cm<sup>2</sup>  
 Max Flow: 162.45 CFM  
 Drain Capacity: 300 mL

PN: THBFR926A

**1" Hi-Flow Filter Regulator**

Max Input Press.: 250 PSI  
 Output Press.: 7-142 PSI  
 Units: PSI, kg/cm<sup>2</sup>  
 Max Flow: 183.64 CFM  
 Drain Capacity: 300 mL

PN: THBFR928A



**\$247 EA**

**AUTO-DRAIN FUNCTION**

## Filters

**1/2" Filter**

Port Size: 1/2" NPT  
 Max Input Press.: 215 PSI  
 Max Flow: 105.94 CFM



**\$50**

PN: THBF304

**1/2" Auto Drain Filter**

Port Size: 1/2" NPT  
 Max Input Press.: 225 PSI



**\$77**

PN: THBD704A

## Lubricators

Max Input Press.: 215 PSI  
 Oil Capacity: 125 mL

Port Size: 1/4" NPT  
 Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT  
 Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT  
 Max Flow: 105.94 CFM

PN: THBL804



**\$61 EA**

## Premium Compressor Oil

- Specially formulated additives give superior protection against wear and corrosion
- Excellent water & air separation, to ensure reliable operation with minimal foaming and emulsification



**\$25**

PN: COMPOIL1

## Swivel Connectors

Male thread to Japanese Style Plug Range: 22°

1/4" Thread PC: B05

3/8" Thread PC: B07

**\$15 EA**



## In-line Regulators

1/4" Air Flow Regulator

**\$17**

PN: GPA1010



1/4" Air Flow Regulator with Male plug

**\$17**

PN: GPA1011



## 20m Manual Hose Reel

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base

Hose Size: 11 mm OD

**\$249**

PN: GPHR1220



## In-Line Components

2 Way Cluster Quick Coupler

**\$28**

PN: GPA1513



3 Way Cluster Quick Coupler

**\$33**

PN: GPA1514



2 Way In-line Quick Coupler

**\$28**

PN: GPA1515

3 Way In-line Quick Coupler

**\$33**

PN: GPA1516

4 Way In-line Quick Coupler

**\$37**

PN: GPA1517



## Premium Air Tool

- Add only a couple of drops daily to prolong the performance of any air operated tool
- Formulated to greatly reduce internal wear and maintain the integrity of gaskets and seals



Premium Air Tool 250 ML

**\$10**

PN: SI250

Premium Air Tool 1 Litre

**\$19**

PN: SI1000

Premium Air Tool 5 Litre

**\$79**

PN: SI5000

## Fitted Air Hoses

Fitted with Japanese compatible One-Touch couplings.



Made in Australia



10 mm Fitted Air Hoses

10 mm ID

20 Metre PN: AH1020F **\$61**

30 Metre PN: AH1030F **\$82**

12 mm Fitted Air Hoses

12 mm ID

20 Metre PN: AH1220F **\$92**

30 Metre PN: AH1230F **\$124**

## Recoil Air Hoses

- One-Touch couplings
- Made from kink resistant polyurethane



10 mm Air Hoses

6.5 mm ID x 10 mm OD

2 Metre PN: GPH1003LBHL **\$50**

5 Metre PN: GPH1006LBHL **\$54**

6 Metre PN: GPH1008LBHL **\$60**

8 Metre PN: GPH1010LBHL **\$72**

12 mm Air Hoses

8 mm ID x 12 mm OD

5 Metre PN: GPH1206LBHL **\$60**

6 Metre PN: GPH1208LBHL **\$72**

8 Metre PN: GPH1210LBHL **\$82**

10 Metre PN: GPH1212LBHL **\$88**



## A one of a kind brush system

Unlike other sweeping brush devices, Haaga sweepers rely on patented disk brush technology. These two specially made circular brushes cut under the waste material and whisk it directly into the waste container. The coarse or fine debris is not run over or pushed around in front of the sweeper.



### haaga 355

300 Series Commercial Sweeper  
Cleaning Width: 550 mm  
Performance: 1600 m<sup>2</sup>/h  
Capacity: 20 Liters  
Weight: 7.2 kg (empty)

**\$569**

PN: HG355



### haaga 477

400 Series Commercial Sweeper  
• Stores vertically in most closets (1550H x 780W x 300mm)

Cleaning Width: 770 mm  
Performance: 3,000 m<sup>2</sup>/h  
Capacity: 50 Liters  
Weight: 15 kg (empty)

**\$1049**

PN: HG477



### haaga 497

400 Series Commercial Sweeper  
Cleaning Width: 970 mm  
Performance: 3,600 m<sup>2</sup>/hr  
Capacity 50 litres.  
Weight: 15.7 kg (empty)

**\$1295**

PN: HG497



## SOCKET SETS

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

### 3/8" DRIVE

**\$68 EA**



3/8" 8 Piece Metric Socket Set

PN: GX838SSM

Sizes: 8, 10, 11, 12, 13, 15, 17 & 19 mm

3/8" 8 Piece Imperial Socket Set

PN: GX838SSI

Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"

### 1/2" DRIVE

**\$135 EA**



1/2" 13 Piece Metric Socket Set

PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

1/2" 13 Piece Imperial Socket Set

PN: GX1312SSI

Sizes 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"

### 3/4" DRIVE

**\$195 EA**



3/4" 8 Piece Metric Socket Set

PN: GX834SSM

Sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

3/4" 8 Piece Imperial Socket Set

PN: GX834SSI

Sizes 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"

## HEX & Torx® BIT SETS

Made from SNCM 8660 Steel which allows 20% more torque than CR-MO.

**\$89 EA**



1/2" 8 Piece Metric Hex Bit

PN: GX12HBSM

Sizes: H5, H6, H8, H10, H12, H14, H17 & H19 mm

1/2" 8 Piece Imperial Hex Bit

PN: GX12HBSI

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4"

**\$99**

PN: GX12TX8



1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40, T45, T50, T55 & T60 bits

## 3/4" Drive Budd Wheel Sockets

17 mm Square PN: GXBWS3417

19 mm Square PN: GXBWS3419

21 mm Square PN: GXBWS3421

Removes studs on dual-wheel applications. To suit Isuzu, Hino, Mitsubishi, Fuso and most European trucks.



**\$31 EA**

## IMPACT UNIV. JOINTS



3/8" Drive Universal Joint  
Overall Length 50 mm

**\$22**

PN: GX33U

1/2" Drive Universal Joint  
Overall Length 63 mm

**\$25**

PN: GX12U

3/4" Drive Universal Joint  
Overall Length 90 mm

**\$45**

PN: GX34U

Molybdenum Steel CR-MO.

## 5 PIECE ADAPTER SETS

**\$25**

PN: GX5AS



5 Piece Std Adapter Set

• Chrome Vanadium

1/4" Female to 3/8" Male  
1/2" Female to 3/8" Male  
3/8" Female to 1/4" Male  
1/2" Female to 3/4" Male  
3/8" Female to 1/2" Male

**\$35**

PN: GX1A5



5 Piece Impact Adapter Set

• Chrome Vanadium

1/4" Female to 3/8" Male  
1/2" Female to 3/8" Male  
3/8" Female to 1/4" Male  
1/2" Female to 3/4" Male  
3/8" Female to 1/2" Male

## SOCKET & EXTENSION BAR SETS

1/2" Sockets & Torque Extension Bar Set

- Teflon sleeved
- Chrome Molybdenum

Narrow Wall Impact Sockets sizes: 17, 19, 21 mm & 3/16"

Torque Bars sizes: 65, 80, 100 & 120 Ft/lbs



**\$144**

PN: GPA1596

1/2" Drive Thin Wall 3 Piece Impact Socket Set

- Teflon sleeved sockets for protecting alloy wheels surfaces from scuffing.
- Cast with Chrome molybdenum steel.

Sizes: 17, 19 & 21 mm



**\$50**

PN: GPA1594

## WOBBLE IMPACTING BAR SETS

Made from Chrome Molybdenum Steel CR-MO.

1/4" Wobble Extension Bar 5 Piece Set

Kit includes: 3", 6", 10" & 12" bars

**\$47**

PN: GXWEBS14



3/8" Wobble Extension Bar 4 Piece Set

Kit includes: 3", 6", 10" & 18" bars

**\$67**

PN: GXWEBS38

1/2" Wobble Extension Bar 4 Piece Set

Kit includes: 3", 5", 10" & 18" bars

**\$78**

PN: GXWEBS12

## Quick-Lock Polishing Pads



50 MM Quick-Lock Felt Polishing Pad

**\$10**

PN: GPA1525



75 MM Quick-Lock Felt Polishing Pad

**\$15**

PN: GPA1575

## Polishing Mops

1/4" Shank Tapered Spindle

Fits 50 MM Calico Polishing Mops (PN: PMC50).



**\$39**

PN: TS12

50 MM Calico Polish Mop

For use with Taper Spindle (PN: TS12). Width: 20 MM



**\$30**

PN: PMC50

## Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock Backing Pad

75 MM Quick-Lock Backing Pad



**\$19**

PN: GPA1523K



**\$23**

PN: GPA1524K

## Velcro Backing Pads

50 MM Velcro Backing Pad

Shank Size: 1/4"



**\$32**

PN: GPA50

75 MM Velcro Backing Pad

Shank Size: 1/4"



**\$39**

PN: GPA75

## Velcro Polishing Pads

60 MM Polishing Pad

Suits 50 MM Velcro Backing Pad



**\$13**

PN: OWB-60

80 MM Polishing Pad

Suits 75 MM Velcro Backing Pad



**\$23**

PN: 119-102

## Quick-lock Abrasive Pads (Packs of 10)



50 MM

**\$32 EA**



75 MM

**\$59 EA**

Blue 50 MM Fine

PN: GPA1527X10

Blue 75 MM Fine

PN: GPA1530X10

Maroon 50 MM Medium

PN: GPA1528X10

Maroon 75 MM Medium

PN: GPA1531X10

Brown 50 MM Coarse

PN: GPA1526X10

Brown 75 MM Coarse

PN: GPA1529X10

## 8 Piece Flap Wheel Kit

Kit includes:

25 MM x 12 MM, 120 Grit, x 1  
25 MM x 25 MM, 40 Grit, x 1  
25 MM x 25 MM, 80 Grit, x 1  
40 MM x 25 MM, 60 Grit, x 1

40 MM x 25 MM, 80 Grit, x 1  
50 MM x 25 MM, 80 Grit, x 1  
50 MM x 25 MM, 60 Grit, x 2



**\$54**

PN: GFWK

## Zirconia Sanding Belts



Pack of 10 Belts.

10 MM Sanding Belts

Size: 10 MM x 330 MM

40 Grit PC: SIP10MMXP40

60 Grit PC: SIP10MMXP60

80 Grit PC: SIP10MMXP80

100 Grit PC: SIP10MMXP100

120 Grit PC: SIP10MMXP120

**\$29 EA**

20 MM Sanding Belts

Size: 20 MM x 520 MM

40 Grit PC: SIP20MMXP40

60 Grit PC: SIP20MMXP60

80 Grit PC: SIP20MMXP80

100 Grit PC: SIP20MMXP100

120 Grit PC: SIP20MMXP120

**\$41 EA**

## Quick-Lock Zirconia Sanding Discs



50 MM Quick-Lock Zirconia Sanding Discs (Packs of 5)

36 Grit PN: AB22012S36

60 Grit PN: AB22012S60

80 Grit PN: AB22012S80

120 Grit PN: AB22012S120

**\$14 EA**

75 MM Quick-Lock Zirconia Sanding Discs (Packs of 5)

36 Grit PN: AB22013S36

60 Grit PN: AB22013S60

80 Grit PN: AB22013S80

120 Grit PN: AB22013S120

**\$21 EA**

## Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes 1 of each: 1/4" shank, 2" backing pad, 24 grit 2" disc, 36 grit 2" disc, 50 grit 2" disc, Brown (Coarse) surface prep 2" disc & Maroon (Medium) surface prep 2" disc.

**\$30**

PN: GPK2



Abrasive & Sanding Pads made in USA.

3" Quick-Lock Preparation Kit

7 Piece kit includes 1 of each: 1/4" shank, 3" backing pad, 24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc, Brown (Coarse) surface prep 3" disc & Maroon (Medium) surface prep 3" disc.

**\$42**

PN: GPK3



Abrasive & Sanding Pads made in USA.

## Quick-Lock Zirconia Mini Flap Discs



50 MM Quick-Lock Zirconia Mini Flap Discs (Packs of 5)

40 Grit PN: AB22012F40

60 Grit PN: AB22012F60

80 Grit PN: AB22012F80

120 Grit PN: AB22012F120

**\$27 EA**

75 MM Quick-Lock Zirconia Mini Flap Discs (Packs of 5)

40 Grit PN: AB22013F40

60 Grit PN: AB22013F60

80 Grit PN: AB22013F80

120 Grit PN: AB22013F120

**\$38 EA**

# WORKSHOP CATALOGUE

Valid 1st November to 28th January 2021.  
All prices quoted include GST.

Distributed by:

## Metal Working Bench Vices

- Lockable 360° Swivel base
- Integrated anvil & pipe jaws
- Heavy duty cast steel

### 150 MM Bench Vice

Jaw face: 155 x 85 MM  
Jaw opening: 150 MM  
Weight: 14 Kg

**\$299**

PN: GBV6

### 200 MM Bench Vice

Jaw face: 205 x 85 MM  
Jaw opening: 200 MM  
Weight: 18 Kg

**\$399**

PN: GBV8



**HEAVY DUTY  
CAST STEEL**



## Rotary Drill Stand

100 drill capacity, 1-10 mm in 0.1mm increments, 10.5, 10.9, 11.5, 11.9, 12, 12.5, 12.9 & 13 mm

Range: 1-13 mm  
Size: 174 x 90 mm (WxH)



**\$40**

PN: VMS3



## A4 Parts Cabinet

- Acid and oil resistant

Cabinet size: 275W x 340D x 482H mm  
Drawer Size: 230 x 325 x 38 mm



**\$229**

PN: A4110P



## Tapping Wrenches

### T-Handle Ratchet Tap Wrench

- Forward, Locked & Reverse Ratchet
- Slidable T-handle

Range: 5M to 12M  
Length: 120 mm



**\$25**

PN: GTHRW

### Tap Wrench

Range: M4 to M12  
Length: 280 mm



**\$26**

PN: GTHW



## Wonder Gun Kit

Kit includes: Blow Gun, small, flat, & extended nozzles, Vacuum Hose, brush, Dust Bag & Extendable Hose (30 to 80cm)

**\$95**

PN: GPA0310KB

**METAL BODY**

**PUSH-BUTTON SWITCH**



## Twin LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable Li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant



**SUPER BRIGHT  
880  
LUMENS!**

**\$149**

PN: GLED2CIL



## Desktop Magnification Lamp

- Adjustable height and angle
- Interchangeable 100 mm lens (sold separately)
- Bright 560 Lumen LED lamp with lens cover

Lens dia.: 100 mm  
Magnification: 3 Diopter  
Max lens height: 300 mm  
Brightness: 560 Lumen  
Power supply: 240V  
Power consumption: 6W  
Cord length: 1.3m

**560 Lumen  
LED lamp**



**\$99**

PN: ML30

## Workbench Magnification Lamp

- 900 mm Two piece articulated arm
- Mountable to most workbenches up to 60 mm in thickness
- 60 LED lamp with high & low modes
- High quality metal frame construction.

Magnification: 3 x Dioptre  
Lens dia.: 120 mm  
Lamp: 60 x LED  
Power: 240 V

**900 mm  
Reach!**



**760  
Lumens**

**\$179**

PN: ML60



## Cam-Drive

Cam-Drive Ezi-Shear to suit: Milwaukee M18™ 14 Gauge Double Cut Shears (2636-20)

Milwaukee M18™ 18 Gauge Single Cut Shears (2637-20)

Milwaukee M18™ Double Cut Shears (2635-20)

Cam-Drive Ezi-Shear to suit: Dewalt™ XR Cordless Metal Shears (DCS491N)

**\$239**

PN: EZISDEW

**\$199**

PN: EZISMIL



**CUTS  
CORRUGATED  
IRON LIKE  
A HOT KNIFE  
THROUGH  
BUTTER!**