

SHINANO®

QUALITY JAPANESE TOOLS

March - October 2025 Prices include GST.

1/2" IMPACT WRENCHES

- 1/2" Compact Impact Wrench**
- 3 Position forward torque selector dial beneath trigger
 - Full-time maximum torque in reverse
 - Forward/Reverse toggle switch
 - Responsive 8 vane motor
 - Feather touch trigger

112 MM HEAD LENGTH
(Including Anvil)

Max Torque: 550 Ft/lbs
Free Speed: 9,000 RPM
Bolt Cap: 16 MM
Weight: 1.17 Kg

\$369
PN: S11455SR



- 1/2" Impact Wrench**
- Responsive 8 vane motor
 - Forward/Reverse selector
 - 4 position speed selector
 - Feather touch trigger
 - Twin Hammer

Max Torque: 627 Ft/lbs
Free Speed: 8,500 RPM
Bolt Cap: 20 MM
Weight: 1.9 Kg



PRICE DROP!

\$399
PN: S11490B

- 1/2" Impact Wrench Kit**
- Twin Hammer



Max Torque: 369 Ft/lbs
Free Speed: 6,000 RPM
Bolt Cap: 16 MM
Weight: 2.55 Kg

PRICE DROP!

\$369
PN: S11420T

1/2" DRIVE SOCKET SETS



HOT PRICE! \$99 EA

13 Piece Metric
PN: GX1312SSM
Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

13 Piece Imperial
PN: GX1312SSI
Sizes 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"

IMPACT WRENCH COMBO DEAL!

- 3/4" Impact Wrench**
- Forward/Reverse selector
 - 4 position speed selector
 - Twin Hammer
- Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 218 MM
Weight: 3.25 Kg

\$899
PN: S11550

- 1" Impact Wrench**
- Full-Time Max. Torque in Reverse
 - Forward/Reverse selector
 - 4 position speed selector
 - Twin Hammer
- Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 220 MM
Weight: 3.5 Kg

\$1,259
PN: S11555SR



FREE!
Free 1/4" Socket Set valued at \$89 with 3/4" (S11550) & 1" (S11555SR) Impact Wrenches!

BELT SANDERS

- 10 MM Belt Sander**
- 160° adjustable sanding arm
 - Includes 6, 10 mm sanding belts
 - Includes in-line air regulator for quick speed adjustments
- Belt Size: 330 x 10 or 12 MM
Free Speed: 15,000 RPM
Weight: 0.73 Kg



SWIVEL INLET WITH REGULATOR

\$469
PN: S12740

- 20 MM Belt Sander**
- Belt Size: 520 x 20 MM
Free Speed: 15,000 RPM
Weight: 1.43 Kg

\$599
S12800

- 30 MM Belt Sander**
- Belt Size: 540 x 30 MM
Free Speed: 10,000 RPM
Weight: 2.02 Kg

\$899
PN: S12830



Packs of 10
\$27 EA

10 MM Ceramic Sanding Belts

40 Grit 10 mm x 330 mm Pkt 10
PN: AB2700-40CP
60 Grit 10 mm x 330 mm Pkt 10
PN: AB2700-60CP

80 Grit 10 mm x 330 mm Pkt 10
PN: AB2700-80CP
120 Grit 10 mm x 330 mm Pkt 10
PN: AB2700-120CP

20 & 30 MM Ceramic sanding belts also available.

DIE GRINDERS

- 1/4" Heavy Duty Angle Head Die Grinder**
- Free Speed: 20,000 RPM
Length: 162 MM
Weight: 0.56 Kg

\$425
PN: S12005HD



- 1/4" Medium Die Grinder**
- Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.60 Kg

\$259
PN: S12011S



- 1/4" High Torque Die Grinder**
- Free Speed: 5,500 RPM
Length: 170 MM
Weight: 0.60 Kg

\$349
PN: S12015A



- 1/4" Small Die Grinder**
- Free Speed: 27,000 RPM
Length: 151 MM
Weight: 0.37 Kg

\$269
PN: S12002EX



- 1/4" Medium Die Grinder**
- Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.37 Kg

\$269
PN: S12012EX



- 1/4" Extended Die Grinder**
- Free Speed: 24,000 RPM
Length: 326 MM
Weight: 1.34 Kg

\$469
PN: S12022S



HAMMERING TOOLS

- 10.2 mm Pistol Grip Air Hammer**
- Length: 208 MM
Impact Rate: 2,600 BPM
Weight: 1.60 Kg

\$299
PN: S14120A



- 20 mm Flat Chisel**
- Shank Dia.: 10.2 MM

\$39
PN: S1810



- 60 mm Paint Scraper Chisel**
- Shank Dia.: 10.2 MM

\$69
PN: S1823



- Spring Retainer**
- Suits most hammers.



\$19
PN: GPA70X2

HEAVY DUTY IMPACT WRENCHES

1" H-Duty Impact Wrench

Max Torque: 1,840 Ft/lbs
Bolt Cap: 41 MM
Length: 285 MM
Weight: 10.9 Kg

3 Handle Positions

\$1599

PN: SI1860

Also available with 6" anvil (SI1866) or 8" anvil (SI1868).

1" H-Duty D-Handle Impact Wrench

Max Torque: 1,770 Ft/lbs
Bolt Cap: 41 MM
Length: 350 MM
Weight: 10.6 Kg

\$1599

PN: SI1870

Also available with 6" anvil (SI1876) or 8" anvil (SI1878). Call for pricing.

1" H-Duty Impact Wrench

Max Torque: 2430 Ft/lbs
Bolt Cap: 46 MM
Length: 420 MM
Weight: 15.4 Kg

\$2049

PN: SI1880

8" Anvil

\$2379

PN: SI1888

1-1/2" H-Duty Impact Wrench



Max Torque: 4,060 Ft/lbs
Bolt Cap: 55 MM
Length: 510 MM
Weight: 18.0 Kg

\$3199

PN: SI1900

DRILLS

3/8" Compact Drill

- Non-reversible
- Chuck Size: 10 MM
- Free Speed: 2,600 RPM
- Length: 130 MM
- Weight: 0.79 Kg

\$279

PN: SI1500

3/8" Heavy Duty Reversible Drill

Chuck Size: 10 MM
Free Speed: 2,000 RPM
Length: 132 MM
Weight: 1.02 Kg

\$399

SI1505A

3/8" Straight Drill



Chuck Size: 10 MM
Free Speed: 6,000 RPM
Length: 231 MM
Weight: 1.06 Kg

\$419

PN: SI2015AD

1/2" Capacity Reversible Keyed Drill



Chuck Size: 13 MM
Free Speed: 800 RPM
Length: 155 MM
Weight: 1.45 Kg

\$565

PN: SI15305-8A

ANGLE GRINDERS

4" Angle Grinder

- Governed for optimal disc RPM

\$585

PN: SI2500L



Spindle Size: M10 x 1.5
Free Speed: 12,700 RPM
Weight: 1.82 Kg

5" Angle Grinder

- Governed for optimal disc RPM
- Spindle Lock

Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.65 Kg

\$599

PN: SI2515LA



7" Angle Grinder

Free Speed: 7,500 RPM
Length: 337 MM
Weight: 3.24 Kg

\$799

SI2600L



- Speed governed for optimal disc RPM
- Spline disc receiver and nut

RATCHET WRENCHES



1/4" Mini Ratchet Wrench

Max Torque: 31 Ft/lbs
Length: 168 MM
Weight: 0.54 Kg

\$299

PN: SI1217EX



3/8" Ratchet Wrench

Max Torque: 59 Ft/lbs
Length: 265 MM
Weight: 1.16 Kg

\$249

PN: SI1320A

3/8" Mini Ratchet Wrench

Max Torque: 35 Ft/lbs
Length: 168 MM
Weight: 0.54 Kg

\$299

PN: SI1218EX

1/2" Ratchet Wrench

Max Torque: 66 Ft/lbs
Length: 265 MM
Weight: 1.17 Kg

\$249

PN: SI1325A

3/8" Through Ratchet

Includes 8, 10, 11, 12, 13 & 14 MM sockets, 3/8" square drive.
Max Torque: 33 Ft/lbs
Length: 211 MM
Weight: 0.54 Kg

\$589

PN: SI1288S



IDEAL FOR HARD TO ACCESS NUTS & BOLTS

3/8" Ratchet Wrench

Max Torque: 85 Ft/lbs
Length: 263 MM
Weight: 1.15 Kg

\$299

PN: SI1340EX

1/2" Ratchet Wrench

Max Torque: 85 Ft/lbs
Length: 263 MM
Weight: 1.15 Kg

\$299

PN: SI1345EX



1/2" Heavy Duty Ratchet

Max Torque: 118 Ft/lbs
Length: 368 MM
Weight: 1.95 Kg

\$539

PN: SI1435



WET GRINDERS & SANDERS

5" Angle Wet Grinder

- Stainless steel motor & gearbox bearings
- Water & air regulators
- Guard mounted nozzles

\$869

PN: SI2515LAWS



Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.65 Kg

3-5" Wet Sander

- Waterproofed mechanism
- Water exits through spindle
- Water & air regulators

\$899

PN: SI2322WRLE



Spindle Size: M14x2
Free Speed: 5,500 RPM
Weight: 1.32 Kg

SCREWDRIVERS

All screwdrivers feature forward & reverse.

1/4" Screwdriver

- Adjustable clutch

Max Torque: 3.70 Ft/lbs
Free Speed: 2,000 RPM
Bolt Cap: 1/4"
Length: 207 MM
Weight: 1.18 Kg

\$499

PN: SI1166A



1/4" Screwdriver

- Adjustable clutch

Max Torque: 6.60 Ft/lbs
Free Speed: 800 RPM
Bolt Cap: 5/16"
Length: 229 MM
Weight: 1.35 Kg

\$599

PN: SI1166-8A



AIR TOOL OIL

Add only a couple of drops daily to greatly reduce internal wear and maintain the integrity of the gaskets and seals

\$13

PN: SI250

\$27

PN: SI1000

\$98

PN: SI15000

\$299

PN: SI20LT



CUTTING TOOLS

3" Cut Off Grinder

Length: 196 MM
Free Speed: 20,000 RPM
Weight: 1.00 Kg

\$269

PN: SI2033

3" Cut Off Discs Pack of 5

Stroke Length: 10 MM
Free Speed: 10,000 RPM
Length: 259 MM
Weight: 0.58 Kg

10 MM Stroke

\$399

SI4700B

Quality Bi-metal Blades
• Sold in Pack of 5

18 TPI PN: PT301A18

24 TPI PN: PT301A24

32 TPI PN: PT301A32

\$30 EA

Air Nibbler

\$485

PN: SI4600



Free Speed: 2,600 SPM
Length: 175 MM
Weight: 1.00 Kg

Multifunction Mini Saw & File

Stroke Length: 5 MM
Free Speed: 10,500 RPM
Length: 148 MM
Weight: 0.52 Kg

5 MM Stroke

\$485

PN: SI4740

Uses Files & Saw Blades!

105 MM Files to suit SI4740
• 5 mm shank

Triangular PN: 506P-56T

Round PN: 506P-56R

Flat PN: 506P-56S



\$30 EA

NEEDLE SCALERS

Straight Grip Needle Scaler

Stroke: 4.5 MM
Impact Rate: 3,500 BPM
Length: 333 MM
Weight: 2.06 Kg

\$649

PN: SI4150EX

Pistol Grip Needle Scaler

Stroke: 4.5 MM
Impact Rate: 3,300 BPM
Length: 355 MM
Weight: 2.19 Kg

\$699

PN: SI4160



Quick Change Sanding & Stripping Kits

Kits include:
2" Disc Sander
Free Speed:
17,000 RPM
Weight: 0.49 Kg
(PN: SI2201)

Ceramic Sanding Abrasives

Quick Change Sanding & Abrasive Kit

\$399

PN: SI2201KIT1

54 piece kit includes
1 x 2" Disc Sander (PN: SI2201)
1 x 50 & 75 MM Quick-Lock Backing Pads (2 total)

5 x Fine (Blue) & Coarse (Brown)
50 MM Abrasive Disc (10 total)

5 x 36, 60, 80, 120 Grit Quick-Lock
50 MM Ceramic Sanding Disc (20 total)

2 x 60 & 80 Grit Quick-Lock
50 MM Ceramic Mini Flap Disc (4 total)

2 x Coarse (Brown) & Fine (Blue)
75 MM Abrasive Disc (4 total)

5 x 36 & 80 Quick-Lock
75 MM Ceramic Sanding Disc (10 total)

2 x 40, 80 Quick-Lock
75 MM Ceramic Mini Flap Disc (4 total)

Quick Change Sanding & Stripping Kit

\$369

PN: SI2201KIT3

46 piece kit includes
1 x Disc Sander (PN: SI2201)
1 x Quick-Lock 50 & 75 MM Backing Pads

2 x 40, 60, 80, 120 Grit Quick-Lock
50 MM Ceramic Mini Flap Disc (8 total)

2 x 40, 60, 80 Grit Quick-Lock
75 MM Ceramic Mini Flap Discs (6 total)

5 x 36, 60, 80 Grit Quick-Lock
50 MM Ceramic Sanding Disc (15 total)

5 x 36 & 80 Grit Quick-Lock
75 MM Ceramic Sanding Discs (10 total)

2 x 75 & 50 MM Clean & Strip Discs (4 total)

PRICE DROP!

PALM GRIP SANDERS

3" Mini Orbital Sander

Free Speed: 12,000 RPM
Orbit Dia.: 3 MM
Weight: 0.54 Kg

\$475

PN: SI3102



ULTRA COMPACT

100 x 75 MM Orbital Mini Palm Grip Dust-Free Pad Sander

Free Speed: 10,000 RPM
Orbit Dia.: 4 MM
Weight: 1.15 Kg

\$469

PN: SI3011A



6" Dual Action Sander

Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 0.94 Kg

\$589

PN: SI3101-6



6" Dual Action Dust-Free Sander

Free Speed: 10,000 RPM
Orbit Dia.: 1.29 Kg

\$699

PN: SI3111-6



DISC SANDERS

Mini Dual Action Sander

• Velcro Pad
• 2 Speed
Free Speed: 15,000 RPM
Pad Size: 75 MM
Orbit Dia.: 3 MM
Weight: 0.52 Kg

\$309

PN: SI2110



2" Disc Sander Kit

Free Speed: 17,000 RPM
Length: 144 MM
Weight: 0.50 Kg

Includes 2 Abrasive Discs

\$239

PN: SI2201



PRICE DROP!

4" High Speed Disc Sander

• 3" & 4" pads, 75 MM backing pad & abrasives
Free Speed: 19,000 RPM
Length: 167 MM
Weight: 0.99 Kg

\$289

PN: SI2210R



6" Dual Action Sander

• Velcro Pad

Free Speed: 10,000 RPM
Orbit Dia.: 7 MM
Weight: 1.82 Kg

\$299

SI3100



ANGLE HEAD SANDERS

5" Angle Head Disc Sander

Spindle: 5/8 x 11 UNC
Length: 285 MM
Free Speed: 5,500 RPM
Weight: 1.50 Kg

\$519

PN: SI2026S



7" Heavy Duty Angle Sander

Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 4,500 RPM
Weight: 2.13 Kg

\$519

PN: SI2351



POLISHERS

75 MM Pistol Grip Polisher

• Kit includes: Wool Buff, sponge Buff, Velcro Pad & 3 Sanding Pads
Free Speed:
4,500 RPM
Length: 147 MM
Weight: 0.64 Kg

\$389

PN: SI2221



7" Heavy Duty Angle Polisher

Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 2,300 RPM
Weight: 2.13 Kg

\$519

PN: SI2451



SHINANO INDUSTRIAL TOOLS

Specifically designed for reliable operation and long service life in the harshest working environments.



2" Industrial Angle Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Spindle: 1/4" UNF x 9.5 MM
Length: 170 MM
Weight: 0.64 Kg

\$495

PN: SI-AG2-U2P

5" Industrial Angle Grinder

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Length: 285 MM
Weight: 2.08 Kg

\$759

PN: SI-AG5-E3L

4" Industrial Angle Grinder

Free Speed: 13,500 RPM
Output: 600 Watts
Spindle: M8 x 15.8 MM
Length: 276 MM
Weight: 1.89 Kg

\$679

PN: SI-AG4-A2L

7" Industrial Angle Grinder

Free Speed: 7,600 RPM
Output: 1000 Watts
Spindle: 5/8" UNC x 22.2 MM
Length: 285 MM
Weight: 3.3 Kg

\$889

PN: SI-AG7-E5L

High Spec Collet

The High Spec Collets grips entire length of the burr shank. This reduces run-out, which improves cutting efficiency and extends the service life of the burr.

NOT included with SI-SG3-CL.



Silencer Hose

In addition to significantly reduced noise levels, the 50 cm silencer hose expels any moisture or oil that may be in exhaust air away from the work piece.

Mini Industrial Angle Die Grinder

Free Speed: 20,000 RPM
Output: 200 Watts
Collet Size: 1/4"
Length: 166 MM
Weight: 0.57 Kg

\$429

PN: SI-AG20E-6L



Industrial Angle Die Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Collet Size: 1/4"
Length: 170 MM
Weight: 0.64 Kg

- Spindle lock button for easy burr replacement

\$495

PN: SI-AG2-C2P



Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 150 MM
Weight: 0.38 Kg

\$349

PN: SI-SG20E-6L

Extended Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 284 MM
Weight: 0.68 Kg

\$449

PN: SI-SG20E-6LL

Straight Industrial Die Grinder

- High powered tool for confined work areas
- High Spec Collet NOT included.

Free Speed: 14,000 RPM
Output: 520 Watts
Collet Size: 1/4"
Length: 346 MM
Weight: 1.53 Kg

\$689

PN: SI-SG3-CL



Industrial 6" Dual Action Sander

- Powerful 485 Watt motor with adjustable power setting
 - Handle exhaust
- Free Speed: 11,200 RPM
Pad/Disc Size: 150 MM (6")
Spindle Size: 5/16-24 UNF
Orbit Dia: 6 MM

\$499

SI-DS6-6L



Industrial Edge Profilers

- Quickly & easily machine consistent radiused edges (meets and exceeds IMO's PSPC regs.).
- 3 Carbide tips, each with 8 cutting edges for cost-effective operation.
- Suitable for use on aluminium, structural grade steel and most types of stainless steel.



Guide Plate: 100 MM
Head Height: 113 MM
Free Speed: 10,000 RPM
Output: 600 Watts
Profile Radius: 3 MM
Min. Corner Radius: 17 MM
Length: 250 MM

\$1495

PN: SI-4011L

Guide Plate: 150 MM
Head Height: 142 MM
Free Speed: 10,000 RPM
Output: 900 Watts
Profile Radius: 3 MM
Min. Corner Radius: 17 MM
Length: 250 MM

\$1495

PN: SI-4010L

5" Industrial Wet Angle Grinder

- Adjustable disc RPM & water feed

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Length: 285 MM
Weight: 2.25 Kg

7" Version Available

\$995

PN: SI-AG5-E3LWS

Water injection through guard



Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 187 MM
Weight: 0.71 Kg

\$389

PN: SI-SG60E-6L



Extended Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 322 MM
Weight: 1.19 Kg

\$499

PN: SI-SG60E-6LL



2.5" Industrial Straight Grinder

- Accepts 65x13mm grinding wheels

Free Speed: 14,600 RPM
Output: 520 Watts
Spindle: 9.35 MM
Length: 316 MM
Weight: 1.53 Kg

\$689

PN: SI-SG3-2L

3" Industrial Straight Grinder

- Accepts 75x13mm grinding wheels

Free Speed: 12,700 RPM
Output: 520 Watts
Spindle: 9.35 MM
Length: 316 MM
Weight: 1.7 Kg

\$689

PN: SI-SG3-3L

